

# Professional Sound Reinforcement and Recording Products

Prices Effective March 31, 2021



The prices listed herein supersede all those previously issued, and are subject to change without notice. All prices are listed in US currency. All prices are EXW Berkeley, California.

## Full Price List - All Compliance Territories

Line Array .....	2
LF .....	6
ULTRA .....	15
Cine-Studio .....	30
CAL .....	37
Create .....	38
Power .....	40
Acoustic .....	42
Special Order Items .....	43
IntelligentDC Options .....	43
Finish Options .....	44

MEYER SOUND and the Meyer Sound wave logo are trademarks of Meyer Sound Laboratories Inc. and are registered in the United States Patent and Trademark Office, as well as in other countries.

The following is a partial list of additional Meyer Sound trademarks: Acheron\*, AlignALink, Amie, Ashby, B-Noise, Bluehorn, BroadbandQ\*, CAL, Compass\*, Compass Go by Meyer Sound, Compass RMS, Composite EQ, Constellation\*, CueConsole, CueStation, D-Mitri\*, EXP\*, Galileo GALAXY, GuideALink, Intelligent AC, LCS, LEO\*, LEO-M, LEOPARD, Libra, LINA, LYON, M-Noise, M Series, MAPP, MAPP Online Pro\*, MAPP XT, Matrix3, MatrixLink, M'elodie\*, MultiSense, QuickFly\*, QuietCool, REM\*, RMS, Sensual Sound, SIM\*, SpaceMap\*, SpeakerSense, Thinking Sound\*, TM Array, TruPower\*, TruShaping\*, UltraSeries, U-Shaping\*, VariO, VRAS, Wild Tracks.

\*Registered in the United States Patent and Trademark Offices. Certain Meyer Sound trademarks are registered in other countries. All third-party marks are the property of their respective owners.

# Professional Sound Reinforcement and Recording Products

Prices Effective March 31, 2021



## LINE ARRAY

The LINE ARRAY series offers scalable solutions for applications, ranging from intimate theatres to houses of worship to the world's largest summer rock festivals. Regardless of size, all Meyer Sound line array systems share the same sonic signature, characterized by an extraordinarily linear response and transparent reproduction of both speech and music.

### LEO

Large line array loudspeaker in the LEO Family. Designed for long-throw applications where maximum power is required, such as large-scale tours and installations. Pairs with 1100-LFC and/or VLFC for low-frequency control.



Model	Zone	Protect	RMS	Input	Product Name	Part Number	List Price
LEO-M	UL & CE	W/P	Y	5 XLR	LEO-M W/P,RMS, PWRCON32,5 PIN	09.215.001.01	\$ 28,770

#### LEO Accessories

Description	Part Number	List Price
WHEEL FRAME EXTENSION 5 INCH CASTER KIT	40.132.150.01	\$ 450
GEB-LEO GRID EXTENSION BAR KIT	40.215.223.01	\$ 3,280
PROSIGHT LASER BRKT ASSY FOR LEO/LYON GR	40.215.152.01	\$ 320
MCF-LEO-M CASTER FRAME	40.215.130.01	\$ 2,140
MTF-LEO-M/MICA TRANSITION FRAME	40.215.131.01	\$ 1,080
MTF-LEO/LYON TRANSITION FRAME KIT	40.215.250.01	\$ 2,890
MTG-LEO-M GRID	40.215.114.01	\$ 6,540
MMP-LEO-M MOTOR VEE PLATE KIT	40.215.184.01	\$ 1,440
PBF-LEO-M PULL BACK FRAME	40.215.136.01	\$ 1,440
LEO-M 2 HIGH PULLOVER SPEAKER COVER	79.215.018.02	\$ 950
LEO-M 3 HIGH PULLOVER SPEAKER COVER	79.215.018.03	\$ 1,080
LEO-M 4 HIGH PULLOVER SPEAKER COVER	79.215.018.04	\$ 1,160
RPP-LEO-M REAR PULLUP PLATE KIT	40.215.181.01	\$ 830
LEO-M 3 HIGH WRAP SPEAKER COVER	79.215.187.03	\$ 1,080
LEO-M 4 HIGH SPEAKER WRAP COVER	79.215.187.04	\$ 1,160

# Professional Sound Reinforcement and Recording Products

Prices Effective March 31, 2021



## LYON

Mid-sized line array loudspeaker in the LEO Family, for applications where high power is required, such as medium- to large-scale tours and installations. Pairs with 1100-LFC, VLFC, or 900-LFC for low-frequency control. Serves as fill for LEO-M systems.



Model	Zone	Protect	RMS	Input	Product Name	Part Number	List Price
LYON-M	UL & CE	STD	Y	3 XLR	LYON-M,STD,RMS,PWRCON32,3 PIN	09.232.001.04	\$ 21,630
LYON-M	UL & CE	STD	Y	5 XLR	LYON-M,STD,RMS,PWRCON32,5 PIN	09.232.001.03	\$ 21,630
LYON-M	UL & CE	W/P	Y	3 XLR	LYON-M,W/P,RMS,PWRCON32,3 PIN	09.232.001.02	\$ 22,680
LYON-M	UL & CE	W/P	Y	5 XLR	LYON-M,W/P,RMS,PWRCON32,5 PIN	09.232.001.01	\$ 22,680
LYON-W	UL & CE	STD	Y	3 XLR	LYON-W,STD,RMS,PWRCON32,3 PIN	09.241.001.04	\$ 21,630
LYON-W	UL & CE	STD	Y	5 XLR	LYON-W,STD,RMS,PWRCON32,5 PIN	09.241.001.03	\$ 21,630
LYON-W	UL & CE	W/P	Y	3 XLR	LYON-W,W/P,RMS,PWRCON32,3 PIN	09.241.001.02	\$ 22,680
LYON-W	UL & CE	W/P	Y	5 XLR	LYON-W,W/P,RMS,PWRCON32,5 PIN	09.241.001.01	\$ 22,680
LYON-WXT	UL & CE	STD	Y	3 XLR	LYON-WXT,RMS,PWRCON32,3 PIN	09.241.001.06	\$ 21,630
LYON-WXT	UL & CE	STD	Y	5 XLR	LYON-WXT,RMS,PWRCON32,5 PIN	09.241.001.07	\$ 21,630
LYON-WXT	UL & CE	W/P	Y	3 XLR	LYON-WXT,W/P,RMS,PWRCON32,3 PIN	09.241.001.08	\$ 22,680
LYON-WXT	UL & CE	W/P	Y	5 XLR	LYON-WXT,W/P,RMS,PWRCON32,5 PIN	09.241.001.05	\$ 22,680

### LYON Accessories

Description	Part Number	List Price
WHEEL FRAME EXTENSION 5 INCH CASTER KIT	40.132.150.01	\$ 450
PROSIGHT LASER BRKT ASSY FOR LEO/LYON GR	40.215.152.01	\$ 320
MCF-LYON CASTER FRAME KIT	40.232.045.01	\$ 2,000
MTF-LEO/LYON TRANSITION FRAME KIT	40.215.250.01	\$ 2,890
MTF-LYON/LEOPARD SL TRNSN FRAME KIT	40.232.140.01	\$ 3,140
MTG-LYON GRID KIT	40.232.038.01	\$ 5,270
MMP-LEO-M MOTOR VEE PLATE KIT	40.215.184.01	\$ 1,440
PBF-LYON PULL BACK BAR KIT	40.232.125.01	\$ 1,340
LYON 2 HIGH PULLOVER SPEAKER COVER	79.232.111.02	\$ 860
LYON 3 HIGH PULLOVER SPEAKER COVER	79.232.111.03	\$ 1,000
LYON 4 HIGH PULLOVER SPEAKER COVER	79.232.111.04	\$ 1,110
RPP-LEO-M REAR PULLUP PLATE KIT	40.215.181.01	\$ 830
LYON 4 HIGH SPEAKER WRAP COVER	79.232.112.04	\$ 1,110

# Professional Sound Reinforcement and Recording Products

Prices Effective March 31, 2021



## LEOPARD

Small line array loudspeaker in the LEO Family. Designed for applications where high power is needed and space is at a premium, such as small- to medium-scale tours and installations. Pairs with 1100-LFC or 900-LFC for low-frequency control. Serves as fill for LEO or LYON systems.



Model	Cord	Zone	Protect	RMS	Input	Product Name	Part Number	List Price
LEOPARD	US	UL & CE	STD	Y	3 XLR	LEOPARD,US,STD,RMS,LOOP,PWRCNN,3 PIN	09.243.001.02	\$ 10,900
LEOPARD	US	UL & CE	STD	Y	5 XLR	LEOPARD,US,STD,RMS,LOOP,PWRCNN,5 PIN	09.243.001.01	\$ 10,900
LEOPARD	US	UL & CE	W/P	Y	3 XLR	LEOPARD,US,W/P,QCLIP,RMS,LOOP,PWRCNN,3P	09.243.001.04	\$ 11,760
LEOPARD	US	UL & CE	W/P	Y	3 XLR	LEOPARD,US,W/P,FOLD,RMS,LOOP,PWRCNN,3P	09.243.101.04	\$ 11,760
LEOPARD	US	UL & CE	W/P	Y	5 XLR	LEOPARD,US,W/P,QCLIP,RMS,LOOP,PWRCNN,5P	09.243.001.03	\$ 11,760
LEOPARD	US	UL & CE	W/P	Y	5 XLR	LEOPARD,US,W/P,FOLD,RMS,LOOP,PWRCNN,5P	09.243.101.03	\$ 11,760
LEOPARD	US	UL & CE	U/W	Y	5 XLR	LEOPARD UW,US,RMS,PWRCNN,5P,BLACK	09.243.601.06	\$ 13,700
LEOPARD	US	UL & CE	U/W	Y	5 XLR	LEOPARD UW,US,RMS,PWRCNN,5P,WHITE	09.243.601.05	\$ 13,700
LEOPARD	EURO	UL & CE	STD	Y	3 XLR	LEOPARD,EURO,STD,RMS,LOOP,PWRCNN,3 PIN	09.243.001.06	\$ 10,900
LEOPARD	EURO	UL & CE	STD	Y	5 XLR	LEOPARD,EURO,STD,RMS,LOOP,PWRCNN,5 PIN	09.243.001.05	\$ 10,900
LEOPARD	EURO	UL & CE	W/P	Y	3 XLR	LEOPARD,EU,W/P,QCLIP,RMS,LOOP,PWRCNN,3P	09.243.001.08	\$ 11,760
LEOPARD	EURO	UL & CE	W/P	Y	3 XLR	LEOPARD,EU,W/P,FOLD,RMS,LOOP,PWRCNN,3P	09.243.101.08	\$ 11,760
LEOPARD	EURO	UL & CE	W/P	Y	5 XLR	LEOPARD,EU,W/P,FOLD,RMS,LOOP,PWRCNN,5P	09.243.101.07	\$ 11,760
LEOPARD	EURO	UL & CE	W/P	Y	5 XLR	LEOPARD,EU,W/P,QCLIP,RMS,LOOP,PWRCNN,5P	09.243.001.07	\$ 11,760
LEOPARD	CHINA	CCC	STD	Y	3 XLR	LEOPARD,CCC,STD,RMS,CHINA 16A,3P-LOOP	09.243.001.11	\$ 10,900
LEOPARD	CHINA	CCC	W/P	Y	3 XLR	LEOPARD,CCC,W/P,QCLIP,RMS,3PIN,CHINA 16A	09.243.001.14	\$ 11,760
LEOPARD	CHINA	CCC	W/P	Y	5 XLR	LEOPARD,CCC,W/P,QCLIP,RMS,5PIN,CHINA 16A	09.243.001.13	\$ 11,760
LEOPARD	INDIA	BIS	STD	Y	3 XLR	LEOPARD,BIS INDIA,STD,RMS,PWRCNN,3P-LOOP	09.243.001.12	\$ 10,900
LEOPARD	INDIA	BIS	STD	Y	5 XLR	LEOPARD,BIS,STD,RMS,LOOP,PWRCNN,5 PIN	09.243.001.15	\$ 10,900
LEOPARD-M80	US	UL	STD	Y	3 XLR	LEOPARD-M80,US,STD,RMS,LOOP,PWRCNN,3 PIN	09.256.001.02	\$ 10,900
LEOPARD-M80	US	UL	STD	Y	5 XLR	LEOPARD-M80,US,STD,RMS,LOOP,PWRCNN,5 PIN	09.256.001.01	\$ 10,900
LEOPARD-M80	US	UL	W/P	Y	3 XLR	LEOPARD-M80,US,W/P,QCLIP,RMS,LOOP,PWRCNN	09.256.001.04	\$ 11,760
LEOPARD-M80	US	UL	W/P	Y	3 XLR	LEOPARD-M80,US,W/P,FOLD,RMS,LOOP,PWRCNN	09.256.101.04	\$ 11,760
LEOPARD-M80	US	UL	W/P	Y	5 XLR	LEOPARD-M80,US,W/P,QCLIP,RMS,LOOP,PWRCNN	09.256.001.03	\$ 11,760
LEOPARD-M80	US	UL	W/P	Y	5 XLR	LEOPARD-M80,US,W/P,FOLD,RMS,LOOP,PWRCNN	09.256.101.03	\$ 11,760
LEOPARD-M80	EURO	CE	STD	Y	3 XLR	LEOPARD-M80,EURO,STD,RMS,LOOP,PWRCNN,3 P	09.256.001.06	\$ 10,900
LEOPARD-M80	EURO	CE	STD	Y	5 XLR	LEOPARD-M80,EURO,STD,RMS,LOOP,PWRCNN,5 P	09.256.001.05	\$ 10,900
LEOPARD-M80	EURO	CE	W/P	Y	3 XLR	LEOPARD-M80,EU,W/P,FOLD,RMS,LOOP,PWRCNN	09.256.101.07	\$ 11,760
LEOPARD-M80	EURO	CE	W/P	Y	5 XLR	LEOPARD-M80,EU,W/P,QCLIP,RMS,LOOP,PWRCNN	09.256.001.07	\$ 11,760
LEOPARD-M80	CHINA	CCC	STD	Y	5 XLR	LEOPARD-M80,CHINA,STD,RMS,CHINA 16A,3P-LO	09.256.001.11	\$ 10,900

### LEOPARD Accessories

Description	Part Number	List Price
GROUNDSTACK DOWNTILT KIT: MG-LEOPARD/900	40.243.163.01	\$ 180
PWRCN LOOP CA, 1.0M,SJTO-H07RN,13GA US/CE	28.115.032.03	\$ 60
MCF-LEOPARD CASTER FRAME KIT	40.243.130.01	\$ 1,290
MG-LEOPARD/900-LFC GRID KIT	40.243.080.01	\$ 3,870
MG-LEOPARD/900-LFC UW GRID KIT BLACK	40.243.180.06	\$ 5,020
MTF-LYON/LEOPARD SL TRNSN FRAME KIT	40.232.140.01	\$ 3,140
MMP-LEO-M MOTOR VEE PLATE KIT	40.215.184.01	\$ 1,440
PBF-LEOPARD KIT	40.243.185.01	\$ 1,230
LEOPARD 3 HIGH PULLOVER SPEAKER COVER	79.243.015.03	\$ 650
LEOPARD 4 HIGH PULLOVER SPEAKER COVER	79.243.015.04	\$ 790
LEOPARD 4 HIGH SPEAKER WRAP COVER	79.243.018.04	\$ 790

# Professional Sound Reinforcement and Recording Products

Prices Effective March 31, 2021



## LINA

Small line array loudspeaker that complements the LEO Family. Designed for small to medium applications. Pairs with the 750-LFC subwoofer.



Model	Cord	Zone	Protect	RMS	Input	Product Name	Part Number	List Price
LINA	US	UL	STD	N	3 XLR	LINA,US,STD,3PIN	09.270.001.04	\$ 6,370
LINA	US	UL	STD	Y	3 XLR	LINA,US,STD,RMS,3PIN	09.270.001.01	\$ 6,940
LINA	US	UL	STD	Y	5 XLR	LINA,US,STD,RMS,5PIN	09.270.001.07	\$ 6,940
LINA	US	UL	W/P	N	3 XLR	LINA,US,W/P FIXED,3PIN	09.270.001.05	\$ 7,220
LINA	US	UL	W/P	N	3 XLR	LINA,US,W/P FOLD,3PIN	09.270.001.06	\$ 7,220
LINA	US	UL	W/P	Y	3 XLR	LINA,US,W/P FIXED,RMS,3PIN	09.270.001.02	\$ 7,790
LINA	US	UL	W/P	Y	3 XLR	LINA,US,W/P FOLD,RMS,3PIN	09.270.001.03	\$ 7,790
LINA	US	UL	W/P	Y	5 XLR	LINA,US,W/P FIXED,RMS,5PIN	09.270.001.08	\$ 7,790
LINA	US	UL	W/P	Y	5 XLR	LINA,US,W/P FOLD,RMS,5PIN	09.270.001.09	\$ 7,790
LINA	US	UL	U/W	Y	5 XLR	LINA UW,US,RMS,PWRCNN,5P,BLACK	09.270.601.06	\$ 9,240
LINA	US	UL	U/W	Y	5 XLR	LINA UW,US,RMS,PWRCNN,5P,WHITE	09.270.601.05	\$ 9,240
LINA	EURO	CE	STD	N	3 XLR	LINA,EJ,STD,3PIN	09.270.001.54	\$ 6,370
LINA	EURO	CE	STD	Y	3 XLR	LINA,EJ,STD,RMS,3PIN	09.270.001.51	\$ 6,940
LINA	EURO	CE	STD	Y	5 XLR	LINA,EJ,STD,RMS,5PIN	09.270.001.57	\$ 6,940
LINA	EURO	CE	W/P	N	3 XLR	LINA,EJ,W/P FIXED,3PIN	09.270.001.55	\$ 7,220
LINA	EURO	CE	W/P	N	3 XLR	LINA,EJ,W/P FOLD,3PIN	09.270.001.56	\$ 7,220
LINA	EURO	CE	W/P	Y	3 XLR	LINA,EJ,W/P FIXED,RMS,3PIN	09.270.001.52	\$ 7,790
LINA	EURO	CE	W/P	Y	3 XLR	LINA,EJ,W/P FOLD,RMS,3PIN	09.270.001.53	\$ 7,790
LINA	EURO	CE	W/P	Y	5 XLR	LINA,EJ,W/P FIXED,RMS,5PIN	09.270.001.58	\$ 7,790
LINA	EURO	CE	W/P	Y	5 XLR	LINA,EJ,W/P FOLD,RMS,5PIN	09.270.001.59	\$ 7,790
LINA	CHINA	CCC	STD	N	3 XLR	LINA,CCC,STD,3PIN,CHINA16ACORD	09.270.001.60	\$ 6,370
LINA	CHINA	CCC	STD	Y	3 XLR	LINA,CCC,STD,RMS,3PIN,CHINA16ACORD	09.270.001.11	\$ 6,940
LINA	CHINA	CCC	W/P	Y	3 XLR	LINA,CCC,W/P FOLD,RMS,3PIN,CHINA16ACORD	09.270.001.61	\$ 7,790
LINA	INDIA	BIS	STD	N	3 XLR	LINA,BIS,STD,3PIN,INDIA10ACORD	09.270.001.13	\$ 6,370
LINA	INDIA	BIS	STD	Y	3 XLR	LINA,BIS,STD,RMS,3PIN,10A INDIA CORD	09.270.001.12	\$ 6,940
LINA	INDIA	BIS	W/P	Y	3 XLR	LINA,BIS,W/P FOLD,RMS,3PIN,INDIA10ACORD	09.270.001.14	\$ 7,790

### LINA Accessories

Description	Part Number	List Price
PWRCN LOOP CA,1.0M,SJTO-H07RN,13GA US/CE	28.115.032.03	\$ 60
MCF-MINA/LINA CASTER FRAME KIT	40.207.102.01	\$ 870
MG-LINA/750-LFC UW MULTIPURPOSE GRID,BLK	40.207.101.06	\$ 3,320
MG-LINA/750-LFC UW MULTIPURPOSE GRID,WHT	40.207.101.05	\$ 3,320
MG-MINA/LINA/750-LFC GRID W/GLK ASSY KIT	40.207.101.02	\$ 2,490
MTF-M-ELODIE/500/MINA/LINA TRANS FRAME K	40.207.103.01	\$ 1,620
MUB-MINA/LINA MOUNTING U-BRACKET KIT	40.207.030.01	\$ 400
MMP-LEO-M MOTOR VEE PLATE KIT	40.215.184.01	\$ 1,440
MYA-MINA/LINA YOKE KIT	40.207.104.01	\$ 870
PBF-LINA PULLBACK FRAME KIT	40.271.080.01	\$ 970
LINA/MINA 3 HIGH PULLOVER SPEAKER COVER	79.270.160.03	\$ 540
LINA/MINA 4 HIGH PULLOVER SPEAKER COVER	79.270.160.04	\$ 630
LINA/MINA 5 HIGH PULLOVER SPEAKER COVER	79.270.160.05	\$ 790

# Professional Sound Reinforcement and Recording Products

Prices Effective March 31, 2021



## LF

The LF series comprises loudspeaker systems designed and engineered for powerful, linear bass and sub-bass reproduction in portable, touring, or installed sound applications. Options are available for massive touring systems down to discreet installations in hotels and restaurants, and all LF requirements in between.

### 1100-LFC

Large low-frequency array loudspeaker in the LEO Family. Designed for long-throw applications where maximum power is required, such as large-scale tours and installations. Pairs with LEO-M, LYON, and large LEOPARD systems. No additional charge for weather protection when purchased as part of a weather protected LEO family system.



Model	Zone	Protect	RMS	Input	Product Name	Part Number	List Price
1100-LFC	UL & CE	STD	Y	3 XLR	1100-LFC,RMS,PWRCON32,3P-XLR,W/RIG	09.220.001.05	\$ 20,430
1100-LFC	UL & CE	STD	Y	3 XLR	1100-LFC,RMS,PWRCON32,3P-XLR,NO RIG	09.220.001.07	\$ 18,260
1100-LFC	UL & CE	STD	Y	5 XLR	1100-LFC,RMS,PWRCON32,5 PIN,W/RIG	09.220.001.01	\$ 20,430
1100-LFC	UL & CE	STD	Y	5 XLR	1100-LFC,RMS,PWRCON32,5 PIN,NO RIG	09.220.001.03	\$ 18,260
1100-LFC	UL & CE	W/P	Y	3 XLR	1100-LFC,W/P,RMS,PWRCON32,3P-XLR,W/RIG	09.220.001.06	\$ 22,370
1100-LFC	UL & CE	W/P	Y	3 XLR	1100-LFC,W/P,RMS,PWRCON32,3P-XLR,NO RIG	09.220.001.08	\$ 20,190
1100-LFC	UL & CE	W/P	Y	5 XLR	1100-LFC,W/P,RMS,PWRCON32,5 PIN,NO RIG	09.220.001.04	\$ 20,190
1100-LFC	UL & CE	W/P	Y	5 XLR	1100-LFC,W/P,RMS,PWRCON32,5 PIN,W/RIG	09.220.001.02	\$ 22,370

#### 1100-LFC Accessories

Description	Part Number	List Price
MAS-1100 ARRAY SPACER KIT	40.220.080.01	\$ 4,680
MCF-1100-LFC CASTER FRAME	40.220.039.01	\$ 1,670
MTG-1100-LFC TOP GRID	40.220.030.01	\$ 5,340
MMP-LEO-M MOTOR VEE PLATE KIT	40.215.184.01	\$ 1,440
1100-LFC 2 HIGH SPEAKER COVER	79.220.065.02	\$ 1,040
1100-LFC 3 HIGH SPEAKER COVER	79.220.065.03	\$ 1,160

# Professional Sound Reinforcement and Recording Products

Prices Effective March 31, 2021

## VLFC

Very low frequency self-powered loudspeaker system. Specifically engineered for extremely high power output at frequencies below the limits of human hearing from 30 Hz to 13 Hz. The VLFC intensifies the sonic impact by reproducing air pressure variations sensed through the body as compression waves in addition to those perceived by the ears as deep bass sounds. Pairs with 1100-LFC for complete low frequency reproduction in large-scale reinforcement systems, and pairs with X-800 for Cinema and special effects applications. Can be flown or groundstacked.



Model	Zone	Protect	RMS	Input	Product Name	Part Number	List Price
VLFC	UL & CE	W/P	Y	5 XLR	VLFC,W/P,RMS,PWRCON32,5 PIN,W/RIG	09.240.001.02	\$ 26,830

### VLFC Accessories

Description	Part Number	List Price
MAS-1100 ARRAY SPACER KIT	40.220.080.01	\$ 4,680
MCF-1100-LFC CASTER FRAME	40.220.039.01	\$ 1,670
MTG-1100-LFC TOP GRID	40.220.030.01	\$ 5,340
MMP-LEO-M MOTOR VEE PLATE KIT	40.215.184.01	\$ 1,440
VLFC 2 HIGH SPEAKER COVER	79.240.065.02	\$ 1,040
VLFC 3 HIGH SPEAKER COVER	79.240.065.03	\$ 1,160

# Professional Sound Reinforcement and Recording Products

Prices Effective March 31, 2021



## 900-LFC

Mid-sized low-frequency array loudspeaker in the LEO Family. Designed for applications where high power is required and space is a consideration, such as small- to medium-scale tours and installations. Pairs with LYON and LEOPARD systems. No additional charge for weather protection when purchased as part of a weather protected LEO Family system.



Model	Cord	Zone	Protect	RMS	Input	Product Name	Part Number	List Price
900-LFC	US	UL	STD	Y	3 XLR	900-LFC,US,STD,RMS,3P,W/RIG,PM38MM	09.246.001.02	\$ 10,900
900-LFC	US	UL	STD	Y	3 XLR	900-LFC,US,STD,RMS,3P,NO RIG,PM38MM	09.246.001.11	\$ 8,800
900-LFC	US	UL	STD	Y	5 XLR	900-LFC,US,STD,RMS,5P,W/RIG,PM38MM	09.246.001.01	\$ 10,900
900-LFC	US	UL	STD	Y	5 XLR	900-LFC,US,STD,RMS,5P,NO RIG,PM38MM	09.246.001.09	\$ 8,800
900-LFC	US	UL	W/P	Y	3 XLR	900-LFC,US,W/P,QCLP,RMS,3P,NO RIG,38MM	09.246.001.12	\$ 9,830
900-LFC	US	UL	W/P	Y	3 XLR	900-LFC,US,W/P,FLD,RMS,3P,W/RIG,38MM	09.246.101.04	\$ 11,930
900-LFC	US	UL	W/P	Y	3 XLR	900-LFC,US,W/P,FLD,RMS,3P,NO RIG,38MM	09.246.101.12	\$ 9,830
900-LFC	US	UL	W/P	Y	3 XLR	900-LFC,US,W/P,QCLP,RMS,3P,W/RIG,38MM	09.246.001.04	\$ 11,930
900-LFC	US	UL	W/P	Y	5 XLR	900-LFC,US,W/P,QCLP,RMS,5P,NO RIG,38MM	09.246.001.10	\$ 9,830
900-LFC	US	UL	W/P	Y	5 XLR	900-LFC,US,W/P,FLD,RMS,5P,W/RIG,38MM	09.246.101.03	\$ 11,930
900-LFC	US	UL	W/P	Y	5 XLR	900-LFC,US,W/P,FLD,RMS,5P,NO RIG,38MM	09.246.101.10	\$ 9,830
900-LFC	US	UL	W/P	Y	5 XLR	900-LFC,US,W/P,QCLP,RMS,5P,W/RIG,38MM	09.246.001.03	\$ 11,930
900-LFC	US	UL	U/W	Y	5 XLR	900-LFC UW,US,RMS,PWRCNN,5P,BLACK	09.246.601.06	\$ 14,800
900-LFC	US	UL	U/W	Y	5 XLR	900-LFC UW,US,RMS,PWRCNN,5P,WHITE	09.246.601.05	\$ 14,800
900-LFC	EURO	EAC	W/P	Y	3 XLR	900-LFC,EAC,W/P,FLD,RMS,3P,NORIG,35MM CE	09.246.101.18	\$ 9,830
900-LFC	EURO	CE	STD	Y	3 XLR	900-LFC,EU,STD,RMS,3P,NO RIG,PM35MM	09.246.001.15	\$ 8,800
900-LFC	EURO	CE	STD	Y	3 XLR	900-LFC,EU,STD,RMS,3P,W/RIG,PM35MM	09.246.001.06	\$ 10,900
900-LFC	EURO	CE	STD	Y	5 XLR	900-LFC,EU,STD,RMS,5P,NO RIG,PM35MM	09.246.001.13	\$ 8,800
900-LFC	EURO	CE	STD	Y	5 XLR	900-LFC,EU,STD,RMS,5P,W/RIG,PM35MM	09.246.001.05	\$ 10,900
900-LFC	EURO	CE	W/P	Y	3 XLR	900-LFC,EU,W/P,QCLP,RMS,3P,NORIG,35MM	09.246.001.16	\$ 9,830
900-LFC	EURO	CE	W/P	Y	3 XLR	900-LFC,EU,W/P,FLD,RMS,3P,W/RIG,35MM	09.246.101.08	\$ 11,930
900-LFC	EURO	CE	W/P	Y	3 XLR	900-LFC,EU,W/P,FLD,RMS,3P,NO RIG,35MM	09.246.101.16	\$ 9,830
900-LFC	EURO	CE	W/P	Y	3 XLR	900-LFC,EU,W/P,QCLP,RMS,3P,W/RIG,35MM	09.246.001.08	\$ 11,930
900-LFC	EURO	CE	W/P	Y	5 XLR	900-LFC,EU,W/P,QCLP,RMS,5P,W/RIG,35MM	09.246.001.07	\$ 11,930
900-LFC	EURO	CE	W/P	Y	5 XLR	900-LFC,EU,W/P,FLD,RMS,5P,NO RIG,35MM	09.246.101.14	\$ 9,830
900-LFC	EURO	CE	W/P	Y	5 XLR	900-LFC,EU,W/P,FLD,RMS,5P,W/RIG,35MM	09.246.101.07	\$ 11,930
900-LFC	EURO	CE	W/P	Y	5 XLR	900-LFC,EU,W/P,QCLP,RMS,5P,NO RIG,35MM	09.246.001.14	\$ 9,830
900-LFC	CHINA	CCC	STD	Y	3 XLR	900-LFC,CCC,STD,RMS,3P,NO RIG,16ACRD,35M	09.246.001.23	\$ 8,800
900-LFC	CHINA	CCC	STD	Y	3 XLR	900-LFC,CCC,STD,RMS,3P,W/RIG,CHINA 16A,35	09.246.001.17	\$ 10,900
900-LFC	CHINA	CCC	STD	Y	5 XLR	900-LFC,CCC,STD,RMS,5P,W/RIG,16ACRD,35MM	09.246.001.19	\$ 10,900
900-LFC	CHINA	CCC	W/P	Y	3 XLR	900-LFC,CCC,W/P,QCLP,RMS,3P,W/RIG,35MM	09.246.001.21	\$ 11,930
900-LFC	CHINA	CCC	W/P	Y	3 XLR	900-LFC,CCC,W/P,QCLP,RMS,3P,NORIG,35MM	09.246.001.22	\$ 9,830
900-LFC	CHINA	CCC	W/P	Y	5 XLR	900-LFC,CCC,W/P,QCLP,RMS,5P,W/RIG,35MM	09.246.001.20	\$ 11,930
900-LFC	INDIA	BIS	STD	Y	3 XLR	900-LFC,BIS INDIA,STD,RMS,3P,W/RIG,PM35M	09.246.001.18	\$ 10,900
900-LFC	INDIA	BIS	STD	Y	5 XLR	900-LFC,BIS,STD,RMS,5P,W/RIG,PM35MM	09.246.001.24	\$ 10,900
900-LFC	INDIA	BIS	W/P	Y	3 XLR	900-LFC,BIS,W/P,FLD,RMS,3P,NO RIG,35MM	09.246.101.17	\$ 9,830



# Professional Sound Reinforcement and Recording Products

Prices Effective March 31, 2021



900-LFC Accessories		
Description	Part Number	List Price
GROUNDSTACK DOWNTILT KIT: MG-LEOPARD/900	40.243.163.01	\$ 180
MCF-900-LFC CASTER FRAME KIT	40.246.130.01	\$ 1,510
MG-LEOPARD/900-LFC GRID KIT	40.243.080.01	\$ 3,870
MG-LEOPARD/900-LFC U/W GRID KIT BLACK	40.243.180.06	\$ 5,020
MPK-POLE,35MM/M20 ADJ. UNIVERSAL POLE KI	40.010.973.01	\$ 120
MMP-LEO-M MOTOR VEE PLATE KIT	40.215.184.01	\$ 1,440
900-LFC 1 HIGH PULLOVER SPEAKER COVER	79.246.025.01	\$ 650
900-LFC 2 HIGH PULLOVER SPEAKER COVER	79.246.025.02	\$ 790
900-LFC 2 HIGH SPEAKER WRAP COVER	79.246.026.02	\$ 790

# Professional Sound Reinforcement and Recording Products

Prices Effective March 31, 2021



## 750-LFC



Very compact low-frequency control element with a very small footprint (same as MINA). Part of the LEO Family with high peak power output, extremely low distortion, and exceptional linearity and low-frequency clarity. Designed for applications where space is a consideration, such as small- to medium-scale tours and installations. Pairs with LINA systems as well as ULTRA series. Can be flown or groundstacked, regular and cardioid configurations.

Model	Cord	Zone	Protect	RMS	Input	Product Name	Part Number	List Price
750-LFC	US	UL	STD	N	3 XLR	750-LFC,US,STD,3P,W/RIG,PM38MM	09.271.001.07	\$ 7,460
750-LFC	US	UL	STD	N	3 XLR	750-LFC,US,STD,3P,NO RIG,PM38MM	09.271.001.10	\$ 5,780
750-LFC	US	UL	STD	Y	3 XLR	750-LFC,US,STD,RMS,3P,NO RIG,PM38MM	09.271.001.04	\$ 6,340
750-LFC	US	UL	STD	Y	3 XLR	750-LFC,US,STD,RMS,3P,W/RIG,PM38MM	09.271.001.01	\$ 8,020
750-LFC	US	UL	STD	Y	5 XLR	750-LFC,US,STD,RMS,5P,NO RIG,PM38MM	09.271.001.16	\$ 6,340
750-LFC	US	UL	STD	Y	5 XLR	750-LFC,US,STD,RMS,5P,W/RIG,PM38MM	09.271.001.13	\$ 8,020
750-LFC	US	UL	W/P	N	3 XLR	750-LFC,US,W/P FIXED,3P,NO RIG,PM38MM	09.271.001.11	\$ 6,830
750-LFC	US	UL	W/P	N	3 XLR	750-LFC,US,W/P FOLD,3P,NO RIG,PM38MM	09.271.001.12	\$ 6,830
750-LFC	US	UL	W/P	N	3 XLR	750-LFC,US,W/P FOLD,3P,W/RIG,PM38MM	09.271.001.09	\$ 8,510
750-LFC	US	UL	W/P	N	3 XLR	750-LFC,US,W/P FIXED,3P,W/RIG,PM38MM	09.271.001.08	\$ 8,510
750-LFC	US	UL	W/P	Y	3 XLR	750-LFC,US,W/P FIXED,RMS,3P,W/RIG,PM38MM	09.271.001.02	\$ 9,070
750-LFC	US	UL	W/P	Y	3 XLR	750-LFC,US,W/P FIXED,RMS,3P,NO RIG,PM38M	09.271.001.05	\$ 7,390
750-LFC	US	UL	W/P	Y	3 XLR	750-LFC,US,W/P FOLD,RMS,3P,W/RIG,PM38MM	09.271.001.03	\$ 9,070
750-LFC	US	UL	W/P	Y	3 XLR	750-LFC,US,W/P FOLD,RMS,3P,NO RIG,PM38MM	09.271.001.06	\$ 7,390
750-LFC	US	UL	W/P	Y	5 XLR	750-LFC,US,W/P FOLD,RMS,5P,W/RIG,PM38MM	09.271.001.15	\$ 9,070
750-LFC	US	UL	W/P	Y	5 XLR	750-LFC,US,W/P FIXED,RMS,5P,W/RIG,PM38MM	09.271.001.14	\$ 9,070
750-LFC	US	UL	W/P	Y	5 XLR	750-LFC,US,W/P FOLD,RMS,5P,NO RIG,PM38MM	09.271.001.18	\$ 7,390
750-LFC	US	UL	W/P	Y	5 XLR	750-LFC,US,W/P FIXED,RMS,5P,NO RIG,PM38M	09.271.001.17	\$ 7,390
750-LFC	EURO	EAC	STD	Y	3 XLR	750-LFC,EAC,STD,RMS,3P,NO RIG,PM35MM	09.271.001.76	\$ 6,340
750-LFC	EURO	CE	STD	N	3 XLR	750-LFC,EJ,STD,3P,W/RIG,PM35MM	09.271.001.57	\$ 7,460
750-LFC	EURO	CE	STD	N	3 XLR	750-LFC,EJ,STD,3P,NO RIG,PM35MM	09.271.001.60	\$ 5,780
750-LFC	EURO	CE	STD	Y	3 XLR	750-LFC,EJ,STD,RMS,3P,NO RIG,PM35MM	09.271.001.54	\$ 6,340
750-LFC	EURO	CE	STD	Y	3 XLR	750-LFC,EJ,STD,RMS,3P,W/RIG,PM35MM	09.271.001.51	\$ 8,020
750-LFC	EURO	CE	STD	Y	5 XLR	750-LFC,EJ,STD,RMS,5P,NO RIG,PM35MM	09.271.001.66	\$ 6,340
750-LFC	EURO	CE	STD	Y	5 XLR	750-LFC,EJ,STD,RMS,5P,W/RIG,PM35MM	09.271.001.63	\$ 8,020
750-LFC	EURO	CE	W/P	N	3 XLR	750-LFC,EJ,W/P FOLD,3P,NO RIG,PM35MM	09.271.001.62	\$ 6,830
750-LFC	EURO	CE	W/P	N	3 XLR	750-LFC,EJ,W/P FOLD,3P,W/RIG,PM35MM	09.271.001.59	\$ 8,510
750-LFC	EURO	CE	W/P	N	3 XLR	750-LFC,EJ,W/P FIXED,3P,W/RIG,PM35MM	09.271.001.58	\$ 8,510
750-LFC	EURO	CE	W/P	N	3 XLR	750-LFC,EJ,W/P FIXED,3P,NO RIG,PM35MM	09.271.001.61	\$ 6,830
750-LFC	EURO	CE	W/P	Y	3 XLR	750-LFC,EJ,W/P FIXED,RMS,3P,NO RIG,PM35M	09.271.001.55	\$ 7,390
750-LFC	EURO	CE	W/P	Y	3 XLR	750-LFC,EJ,W/P FOLD,RMS,3P,NO RIG,PM35MM	09.271.001.56	\$ 7,390
750-LFC	EURO	CE	W/P	Y	3 XLR	750-LFC,EJ,W/P FIXED,RMS,3P,W/RIG,PM35MM	09.271.001.52	\$ 9,070
750-LFC	EURO	CE	W/P	Y	3 XLR	750-LFC,EJ,W/P FOLD,RMS,3P,W/RIG,PM35MM	09.271.001.53	\$ 9,070
750-LFC	EURO	CE	W/P	Y	5 XLR	750-LFC,EJ,W/P FIXED,RMS,5P,NO RIG,PM35M	09.271.001.67	\$ 7,390
750-LFC	EURO	CE	W/P	Y	5 XLR	750-LFC,EJ,W/P FOLD,RMS,5P,W/RIG,PM35MM	09.271.001.65	\$ 9,070
750-LFC	EURO	CE	W/P	Y	5 XLR	750-LFC,EJ,W/P FIXED,RMS,5P,W/RIG,PM35MM	09.271.001.64	\$ 9,070
750-LFC	EURO	CE	W/P	Y	5 XLR	750-LFC,EJ,W/P FOLD,RMS,5P,NO RIG,PM35MM	09.271.001.68	\$ 7,390
750-LFC	CHINA	CCC	STD	N	3 XLR	750-LFC,CCC,STD,3P,NO RIG,CHN16A,PM35MM	09.271.001.72	\$ 5,780
750-LFC	CHINA	CCC	STD	N	3 XLR	750-LFC,CCC,STD,3P,W/RIG,CHN16A,PM35MM	09.271.001.71	\$ 7,460
750-LFC	CHINA	CCC	STD	Y	3 XLR	750-LFC,CCC,STD,RMS,3P,W/RIG,CHN16A,35MM	09.271.001.19	\$ 8,020
750-LFC	INDIA	BIS	STD	N	3 XLR	750-LFC,BIS,STD,3P,W/RIG,IND10A,PM35MM	09.271.001.74	\$ 7,460
750-LFC	INDIA	BIS	STD	N	3 XLR	750-LFC,BIS,STD,3P,NO RIG,PM35MM	09.271.001.70	\$ 5,780
750-LFC	INDIA	BIS	STD	Y	3 XLR	750-LFC,BIS,STD,RMS,3P,W/RIG,IND10A,35MM	09.271.001.73	\$ 8,020
750-LFC	INDIA	BIS	W/P	N	3 XLR	750-LFC,BIS,W/P FOLD,3P,NO RIG,PM35MM	09.271.001.69	\$ 6,830

# Professional Sound Reinforcement and Recording Products

Prices Effective March 31, 2021



750-LFC Accessories		
Description	Part Number	List Price
GLK-750-LFC UPGRADE KIT	40.207.301.01	\$ 230
MCF-750 CASTER FRAME KIT	40.271.070.02	\$ 970
MCF-750 CASTER FRAME NO RIG KIT	40.271.070.03	\$ 820
MG-LINA/750-LFC UW MULTIPURPOSE GRID,BLK	40.207.101.06	\$ 3,320
MG-LINA/750-LFC UW MULTIPURPOSE GRID,WHT	40.207.101.05	\$ 3,320
MG-MINA/LINA/750-LFC GRID W/GLK ASSY KIT	40.207.101.02	\$ 2,490
MPK-POLE,35MM/M20 ADJ. UNIVERSAL POLE KI	40.010.973.01	\$ 120
MMP-LEO-M MOTOR VEE PLATE KIT	40.215.184.01	\$ 1,440
PBF-LINA PULLBACK FRAME KIT	40.271.080.01	\$ 970
750-LFC 2 HIGH PULLOVER SPEAKER COVER	79.271.160.02	\$ 540
750-LFC 3 HIGH PULLOVER SPEAKER COVER	79.271.160.03	\$ 630

# Professional Sound Reinforcement and Recording Products

Prices Effective March 31, 2021



## USW-210P

The USW-210P compact narrow subwoofer provides robust, extended low frequency response for installed sound applications that require convincing bass impact from a slender, low profile loudspeaker. Integrates easily with Meyer Sound loudspeaker systems, such as CAL and ULTRA Series loudspeakers.



Model	Cord	Zone	Protect	RMS	Input	Product Name	Part Number	List Price
USW-210P	US	UL & CE	STD	N	3 XLR	USW-210P,STD,M8,3P,US	09.277.001.01	\$ 4,410
USW-210P	US	UL & CE	STD	Y	3 XLR	USW-210P,STD,M8,3P,RMS,US	09.277.001.05	\$ 4,950
USW-210P	US	UL & CE	W/P	N	3 XLR	USW-210P,W/P,M8,3P,US	09.277.001.03	\$ 5,430
USW-210P	US	UL & CE	W/P	Y	3 XLR	USW-210P,W/P,M8,3P,RMS,US	09.277.001.07	\$ 5,980
USW-210P	EURO	UL & CE	STD	N	3 XLR	USW-210P,STD,M8,3P,EU	09.277.001.02	\$ 4,410
USW-210P	EURO	UL & CE	STD	Y	3 XLR	USW-210P,STD,M8,3P,RMS,EU	09.277.001.06	\$ 4,950
USW-210P	EURO	UL & CE	W/P	N	3 XLR	USW-210P,W/P,M8,3P,EU	09.277.001.04	\$ 5,430
USW-210P	EURO	UL & CE	W/P	Y	3 XLR	USW-210P,W/P,M8,3P,RMS,EU	09.277.001.08	\$ 5,980
USW-210P	CHINA	CCC	STD	N	3 XLR	USW-210P,CCC,STD,M8,3P,CHN10A	09.277.001.10	\$ 4,410
USW-210P	CHINA	CCC	STD	Y	3 XLR	USW-210P,CCC,STD,M8,3P,RMS,CHN10A	09.277.001.12	\$ 4,950
USW-210P	CHINA	CCC	W/P	N	3 XLR	USW-210P,CCC,W/P,M8,3P,CHN10A	09.277.001.11	\$ 5,430
USW-210P	CHINA	CCC	W/P	Y	3 XLR	USW-210P,CCC,W/P,M8,3P,RMS,CHN10A	09.277.001.13	\$ 5,980
USW-210P	INDIA	BIS	STD	N	3 XLR	USW-210P,STD,M8,3P,INDIA CORD	09.277.001.15	\$ 4,410

### USW-210P Accessories

Description	Part Number	List Price
USW-210P/MM-10 BASE PLATE ASSY KIT	40.010.970.01	\$ 310
USW-210P MUB KIT	40.277.969.01	\$ 460

# Professional Sound Reinforcement and Recording Products

Prices Effective March 31, 2021



## USW-112P

The USW-112P self-powered subwoofer delivers powerful low-frequency performance in a compact, versatile package. It's designed as an ideal companion for ULTRA-X20 loudspeaker and complements a range of Meyer Sound loudspeakers including the UPM, UP-4slim, Ashby-5C, and Ashby-8C. All Milan versions of the USW-112P include remote monitoring via the EtherCon connector.



Model	Cord	Zone	Protect	RMS	Input	Product Name	Part Number	List Price
USW-112P	US	UL	STD	N	3 XLR	USW-112P,US,STD,3PIN	09.298.001.03	\$ 3,700
USW-112P	US	UL	STD	Y	5 XLR	USW-112P,US,STD,RMS,5PIN	09.298.001.01	\$ 4,220
USW-112P	US	UL	STD	Y	EtherCON	USW-112P,US,STD,MILAN	09.298.201.01	\$ 4,220
USW-112P	US	UL	W/P	N	3 XLR	USW-112P,US,W/P,3PIN	09.298.001.04	\$ 4,340
USW-112P	US	UL	W/P	Y	EtherCON	USW-112P,US,W/P,MILAN	09.298.201.02	\$ 4,860
USW-112P	EURO	EAC	STD	N	3 XLR	USW-112P,EAC,STD,3PIN	09.298.001.16	\$ 3,700
USW-112P	EURO	EAC	STD	Y	5 XLR	USW-112P,EAC,STD,RMS,5PIN	09.298.001.15	\$ 4,220
USW-112P	EURO	CE	STD	N	3 XLR	USW-112P,EU,STD,3PIN	09.298.001.07	\$ 3,700
USW-112P	EURO	CE	STD	Y	5 XLR	USW-112P,EU,STD,RMS,5PIN	09.298.001.05	\$ 4,220
USW-112P	EURO	CE	STD	Y	EtherCON	USW-112P,EU,STD,MILAN	09.298.201.03	\$ 4,220
USW-112P	EURO	CE	W/P	N	3 XLR	USW-112P,EU,W/P,3PIN	09.298.001.08	\$ 4,340
USW-112P	EURO	CE	W/P	Y	EtherCON	USW-112P,EU,W/P,MILAN	09.298.201.04	\$ 4,860
USW-112P	CHINA	CCC	STD	N	3 XLR	USW-112P,CCC,STD,3PIN,10ACORD	09.298.001.10	\$ 3,700
USW-112P	CHINA	CCC	STD	Y	5 XLR	USW-112P,CCC,STD,RMS,5PIN,10ACORD	09.298.001.09	\$ 4,220
USW-112P	INDIA	BIS	STD	N	3 XLR	USW-112P,INDIA,STD,3PIN,INDIA CORD	09.298.001.13	\$ 3,700
USW-112P	INDIA	BIS	STD	Y	5 XLR	USW-112P,INDIA,STD,RMS,5PIN,INDIA CORD	09.298.001.12	\$ 4,220
USW-112XP	no	CCC	STD	N	Phoenix 5	USW-112XP,CCC,STD,PHOENIX	09.298.101.03	\$ 3,400
USW-112XP	no	CCC	W/P	N	Phoenix 5	USW-112XP,CCC,W/P,PHOENIX	09.298.101.04	\$ 4,040
USW-112XP	no	EAC	STD	N	Phoenix 5	USW-112XP,EAC,STD,PHOENIX	09.298.101.05	\$ 3,400
USW-112XP	no	EAC	W/P	N	Phoenix 5	USW-112XP,EAC,W/P,PHOENIX	09.298.101.06	\$ 4,040
USW-112XP	no	UL & CE	STD	N	Phoenix 5	USW-112XP,STD,PHOENIX	09.298.101.01	\$ 3,400
USW-112XP	no	UL & CE	W/P	N	Phoenix 5	USW-112XP,W/P,PHOENIX	09.298.101.02	\$ 4,040

### USW-112P Accessories

Description	Part Number	List Price
MUB USW-112 U-BRACKET KIT	40.298.050.01	\$ 280

# Professional Sound Reinforcement and Recording Products

Prices Effective March 31, 2021



## MM-10

Miniature subwoofer for installations and distributed systems. Available with IntelligentDC or AC power. Pairs with UP-4XP and MM-4XP loudspeakers.



Model	Cord	Zone	Protect	RMS	Input	Product Name	Part Number	List Price
MM-10AC	US	UL	STD	N	3 XLR	MM-10AC, STD, 3/8, POWERCON, US	09.199.023.01	\$ 2,560
MM-10AC	US	UL	STD	N	3 XLR	MM-10AC, STD, M10, POWERCON, US	09.199.012.01	\$ 2,560
MM-10AC	US	UL	W/P	N	3 XLR	MM-10AC, W/P, 3/8, POWERCON, US	09.199.023.11	\$ 3,260
MM-10AC	US	UL	W/P	N	3 XLR	MM-10AC, W/P, M10, POWERCON, US	09.199.012.11	\$ 3,260
MM-10AC	EURO	CE	STD	N	3 XLR	MM-10AC, STD, 3/8, POWERCON, EURO	09.199.023.02	\$ 2,560
MM-10AC	EURO	CE	STD	N	3 XLR	MM-10AC, STD, M10, POWERCON, EURO	09.199.012.02	\$ 2,560
MM-10AC	EURO	CE	W/P	N	3 XLR	MM-10AC, W/P, 3/8, POWERCON, EURO	09.199.023.12	\$ 3,260
MM-10AC	EURO	CE	W/P	N	3 XLR	MM-10AC, W/P, M10, POWERCON, EURO	09.199.012.12	\$ 3,260
MM-10AC	CHINA	CCC	STD	N	3 XLR	MM-10AC,CCC,STD,M10,CHINA 16A-PWRCN	09.199.012.03	\$ 2,560
MM-10ACX	US	UL	STD	N	EN-3	MM-10ACX, STD, 3/8, POWERCON, US, EN3	09.199.024.01	\$ 2,950
MM-10ACX	US	UL	STD	N	EN-3	MM-10ACX, STD, M10, POWERCON, US, EN3	09.199.013.01	\$ 2,950
MM-10ACX	US	UL	STD	N	Phoenix 5	MM-10ACX, STD, 3/8, POWERCON, US,PHOENIX	09.199.025.01	\$ 2,950
MM-10ACX	US	UL	STD	N	Phoenix 5	MM-10ACX, STD, M10, POWERCON, US,PHOENIX	09.199.014.01	\$ 2,950
MM-10ACX	US	UL	W/P	N	EN-3	MM-10ACX, W/P, 3/8, POWERCON, US, EN3	09.199.024.11	\$ 3,660
MM-10ACX	US	UL	W/P	N	EN-3	MM-10ACX, W/P, M10, POWERCON, US, EN3	09.199.013.11	\$ 3,660
MM-10ACX	US	UL	W/P	N	Phoenix 5	MM-10ACX, W/P, 3/8, POWERCON, US,PHOENIX	09.199.025.11	\$ 3,660
MM-10ACX	US	UL	W/P	N	Phoenix 5	MM-10ACX, W/P, M10, POWERCON, US,PHOENIX	09.199.014.11	\$ 3,660
MM-10ACX	EURO	CE	STD	N	EN-3	MM-10ACX, STD, 3/8, POWERCON, EURO, EN3	09.199.024.02	\$ 2,950
MM-10ACX	EURO	CE	STD	N	EN-3	MM-10ACX, STD, M10, POWERCON, EURO, EN3	09.199.013.02	\$ 2,950
MM-10ACX	EURO	CE	STD	N	Phoenix 5	MM-10ACX, STD, 3/8, POWERCON, EURO,PHX	09.199.025.02	\$ 2,950
MM-10ACX	EURO	CE	STD	N	Phoenix 5	MM-10ACX, STD, M10, POWERCON, EURO,PHX	09.199.014.02	\$ 2,950
MM-10ACX	EURO	CE	W/P	N	EN-3	MM-10ACX, W/P, 3/8, POWERCON, EURO, EN3	09.199.024.12	\$ 3,660
MM-10ACX	EURO	CE	W/P	N	EN-3	MM-10ACX, W/P, M10, POWERCON, EURO, EN3	09.199.013.12	\$ 3,660
MM-10ACX	EURO	CE	W/P	N	Phoenix 5	MM-10ACX, W/P, 3/8, POWERCON, EURO,PHX	09.199.025.12	\$ 3,660
MM-10ACX	EURO	CE	W/P	N	Phoenix 5	MM-10ACX, W/P, M10, POWERCON, EURO,PHX	09.199.014.12	\$ 3,660
MM-10ACX	CHINA	CCC	STD	N	Phoenix 5	MM-10ACX,CCC,M10,PHX,CHINA 16A-PWRCN	09.199.014.03	\$ 2,950
MM-10XP	no	CCC	STD	N	Phoenix 5	MM-10XP,CCC,STD,M10,PHOENIX,CHINA	09.199.011.02	\$ 2,320
MM-10XP	no	UL & CE	STD	N	EN-3	MM-10XP, STD, M10, EN3	09.199.010.01	\$ 2,320
MM-10XP	no	UL & CE	STD	N	EN-3	MM-10XP, STD, 3/8, EN3	09.199.021.01	\$ 2,320
MM-10XP	no	UL & CE	STD	N	Phoenix 5	MM-10XP, STD, M10, PHOENIX	09.199.011.01	\$ 2,320
MM-10XP	no	UL & CE	STD	N	Phoenix 5	MM-10XP, STD, 3/8, PHOENIX	09.199.022.01	\$ 2,320
MM-10XP	no	UL & CE	W/P	N	EN-3	MM-10XP, W/P, M10, EN3	09.199.010.02	\$ 3,010
MM-10XP	no	UL & CE	W/P	N	EN-3	MM-10XP, W/P, 3/8, EN3	09.199.021.11	\$ 3,010
MM-10XP	no	UL & CE	W/P	N	Phoenix 5	MM-10XP, W/P, M10, PHOENIX	09.199.011.11	\$ 3,010
MM-10XP	no	UL & CE	W/P	N	Phoenix 5	MM-10XP, W/P, 3/8, PHOENIX	09.199.022.11	\$ 3,010

### MM-10 Accessories

Description	Part Number	List Price
USW-210P/MM-10 BASE PLATE ASSY KIT	40.010.970.01	\$ 310
MUB-MM10-3/8	40.199.060.01	\$ 240
MUB-MM10-M10	40.199.060.02	\$ 240

# Professional Sound Reinforcement and Recording Products

Prices Effective March 31, 2021



## ULTRA

The ULTRA Series encompasses a broad range of point-source, full-range loudspeakers suited for a variety of applications. All loudspeakers are self-powered, either by direct AC line connection or by using Meyer Sound's IntelligentDC remote powering technology (indicated by the XP suffix). The ULTRA Series includes scalable solutions with trapezoidal cabinets for portable or installed applications, ceiling loudspeakers for distributed systems, and high-power stage monitors.

### JM-1P

Arrayable point-source loudspeaker for applications that require precisely-controlled horizontal coverage. Pairs with 700-HP subwoofer, 1100-LFC, or 900-LFC low-frequency control elements. Serves as main system or as center fill or side fill for larger systems.



Model	Cord	Zone	Protect	RMS	Input	Product Name	Part Number	List Price
JM-1P	US	UL	STD	N	3 XLR	JM-1P,LOOP,US	09.202.001.01	\$ 11,530
JM-1P	US	UL	STD	Y	3 XLR	JM-1P,RMS,LOOP,US	09.202.001.03	\$ 12,070
JM-1P	US	UL	W/P	N	3 XLR	JM-1P,LOOP,W/P,US	09.202.001.05	\$ 12,590
JM-1P	US	UL	W/P	Y	3 XLR	JM-1P,RMS,LOOP,W/P,US	09.202.001.10	\$ 13,130
JM-1P	EURO	CE	STD	N	3 XLR	JM-1P,LOOP,CE	09.202.001.02	\$ 11,530
JM-1P	EURO	CE	STD	Y	3 XLR	JM-1P,RMS,LOOP,CE	09.202.001.07	\$ 12,070
JM-1P	EURO	CE	STD	Y	5 XLR	JM-1P,RMS,5PIN,LOOP,CE	09.202.001.04	\$ 12,070
JM-1P	EURO	CE	W/P	N	3 XLR	JM-1P,LOOP,W/P,CE	09.202.001.06	\$ 12,590
JM-1P	EURO	CE	W/P	Y	3 XLR	JM-1P,RMS,LOOP,W/P,CE	09.202.001.12	\$ 13,130
JM-1P	EURO	CE	W/P	Y	5 XLR	JM-1P,RMS,5PIN,LOOP,W/P,CE	09.202.001.13	\$ 13,130
JM-1P	no	UL & CE	STD	Y	VEAM	JM-1P,RMS,VEAM,LOOP,US/CE	09.202.001.11	\$ 12,290
JM-1P	no	UL & CE	W/P	N	VEAM	JM-1P,VEAM,W/P,LOOP,US/CE	09.202.001.08	\$ 12,790
JM-1P	no	UL & CE	W/P	Y	VEAM	JM-1P,RMS,VEAM,W/P,LOOP,US/CE	09.202.001.09	\$ 13,350

#### JM-1P Accessories

Description	Part Number	List Price
PWR CN LOOP CA, 1.0M, SJTO-H07RN, 13GA US/CE	28.115.032.03	\$ 60
M1D 15" LOOP AC CORD, 12GA, SJOOW, UL/CSA	28.115.032.01	\$ 40
M1D 0.4m LOOP AC CORD <HAR> 2.5mm CE	28.115.032.02	\$ 40
UPQ-1P EYE BOLT KIT	40.185.013.01	\$ 30
JM-1P SINGLE FACE DOWN COVER	79.202.087.01	\$ 580
MDB-JM1 DOLLY BOARD, PINNABLE	40.202.033.01	\$ 580
MPA-JM1 PICK UP PLATE KIT	40.202.053.01	\$ 450
MTG-JM1 TOP GRID KIT	40.202.054.01	\$ 2,230
JM-1P SINGLE PULL OVER COVER	79.202.035.01	\$ 580

# Professional Sound Reinforcement and Recording Products

Prices Effective March 31, 2021



## UPQ

Large point-source loudspeaker for applications including concert halls, theaters, clubs, and houses of worship. UPQ-D1 provides 80° x 50°, UPQ-D2 provides 50° x 50°, and UPQ-D3 provides 80° x 80°. Upgrades a classic family with more coverage options and optimized frequency and phase response in a lighter package. Pairs with 900-LFC low-frequency control element or 500-HP or 600-HP subwoofers.



Model	Cord	Zone	Protect	RMS	Input	Product Name	Part Number	List Price
UPQ-D1	US	UL	STD	N	3 XLR	UPQ-D1,US,STD,3P,PM38MM	09.291.001.02	\$ 8,900
UPQ-D1	US	UL	STD	Y	3 XLR	UPQ-D1,US,STD,RMS,3P,PM38MM	09.291.001.03	\$ 9,440
UPQ-D1	US	UL	STD	Y	5 XLR	UPQ-D1,US,STD,RMS,5P,PM38MM	09.291.001.09	\$ 9,440
UPQ-D1	US	UL	W/P	N	3 XLR	UPQ-D1,US,W/P,3P,PM38MM	09.291.001.08	\$ 9,770
UPQ-D1	US	UL	W/P	N	5 XLR	UPQ-D1,US,W/P,RMS,5P,PM38MM	09.291.001.23	\$ 10,310
UPQ-D1	US	UL	W/P	Y	3 XLR	UPQ-D1,US,W/P,RMS,3P,PM38MM	09.291.001.06	\$ 10,310
UPQ-D1	EURO	EAC	STD	N	3 XLR	UPQ-D1,EAC,STD,3P,PM35MM,CE	09.291.001.24	\$ 8,900
UPQ-D1	EURO	EAC	STD	Y	3 XLR	UPQ-D1,EAC,STD,RMS,3P,PM35MM	09.291.001.26	\$ 9,440
UPQ-D1	EURO	EAC	W/P	N	3 XLR	UPQ-D1,EAC,W/P,3P,PM35MM,CE	09.291.001.25	\$ 9,770
UPQ-D1	EURO	CE	STD	N	3 XLR	UPQ-D1,EU,STD,3P,PM35MM	09.291.001.01	\$ 8,900
UPQ-D1	EURO	CE	STD	Y	3 XLR	UPQ-D1,EU,STD,RMS,3P,PM35MM	09.291.001.04	\$ 9,440
UPQ-D1	EURO	CE	STD	Y	5 XLR	UPQ-D1,EU,STD,RMS,5P,PM35MM	09.291.001.10	\$ 9,440
UPQ-D1	EURO	CE	W/P	N	3 XLR	UPQ-D1,EU,W/P,3P,PM35MM	09.291.001.07	\$ 9,770
UPQ-D1	EURO	CE	W/P	Y	3 XLR	UPQ-D1,EU,W/P,RMS,3P,PM35MM	09.291.001.05	\$ 10,310
UPQ-D1	CHINA	CCC	STD	N	3 XLR	UPQ-D1,CCC,STD,3P,PM35MM,10A CHINA	09.291.001.11	\$ 8,900
UPQ-D1	CHINA	CCC	STD	Y	3 XLR	UPQ-D1,CCC,STD,RMS,3P,PM35MM,10A CHINA	09.291.001.12	\$ 9,440
UPQ-D1	CHINA	CCC	STD	Y	5 XLR	UPQ-D1,CCC,STD,RMS,5P,PM35MM,10A CHINA	09.291.001.15	\$ 9,440
UPQ-D1	CHINA	CCC	W/P	N	3 XLR	UPQ-D1,CCC,W/P,3P,PM35MM,10A CHINA	09.291.001.13	\$ 9,770
UPQ-D1	CHINA	CCC	W/P	Y	3 XLR	UPQ-D1,CCC,W/P,RMS,3P,PM35MM,10A CHINA	09.291.001.14	\$ 10,310
UPQ-D1	CHINA	CCC	W/P	Y	5 XLR	UPQ-D1,CCC,W/P,RMS,5P,PM35MM,10A CHINA	09.291.001.16	\$ 10,310
UPQ-D1	INDIA	BIS	STD	N	3 XLR	UPQ-D1,INDIA,STD,3P,PM35MM	09.291.001.17	\$ 8,900
UPQ-D1	INDIA	BIS	STD	Y	3 XLR	UPQ-D1,INDIA,STD,RMS,3P,PM35MM	09.291.001.18	\$ 9,440
UPQ-D1	INDIA	BIS	STD	Y	5 XLR	UPQ-D1,INDIA,STD,RMS,5P,PM35MM	09.291.001.21	\$ 9,440
UPQ-D1	INDIA	BIS	W/P	N	3 XLR	UPQ-D1,INDIA,W/P,3P,PM35MM	09.291.001.19	\$ 9,770
UPQ-D1	INDIA	BIS	W/P	Y	3 XLR	UPQ-D1,INDIA,W/P,RMS,3P,PM35MM	09.291.001.20	\$ 10,310
UPQ-D1	INDIA	BIS	W/P	Y	5 XLR	UPQ-D1,INDIA,W/P,RMS,5P,PM35MM	09.291.001.22	\$ 10,310
UPQ-D2	US	UL	STD	N	3 XLR	UPQ-D2,US,STD,3P,PM38MM	09.292.001.02	\$ 8,900
UPQ-D2	US	UL	STD	Y	3 XLR	UPQ-D2,US,STD,RMS,3P,PM38MM	09.292.001.03	\$ 9,440
UPQ-D2	US	UL	STD	Y	5 XLR	UPQ-D2,US,STD,RMS,5P,PM38MM	09.292.001.09	\$ 9,440
UPQ-D2	US	UL	W/P	N	3 XLR	UPQ-D2,US,W/P,3P,PM38MM	09.292.001.08	\$ 9,770
UPQ-D2	US	UL	W/P	Y	3 XLR	UPQ-D2,US,W/P,RMS,3P,PM38MM	09.292.001.06	\$ 10,310
UPQ-D2	US	UL	W/P	Y	5 XLR	UPQ-D2,US,W/P,RMS,5P,PM38MM	09.292.001.23	\$ 10,310
UPQ-D2	EURO	EAC	STD	Y	3 XLR	UPQ-D2,EAC,STD,RMS,3P,PM35MM	09.292.001.26	\$ 9,440
UPQ-D2	EURO	CE	STD	N	3 XLR	UPQ-D2,EU,STD,3P,PM35MM	09.292.001.01	\$ 8,900
UPQ-D2	EURO	CE	STD	Y	3 XLR	UPQ-D2,EU,STD,RMS,3P,PM35MM	09.292.001.04	\$ 9,440
UPQ-D2	EURO	CE	STD	Y	5 XLR	UPQ-D2,EU,STD,RMS,5P,PM35MM	09.292.001.10	\$ 9,440
UPQ-D2	EURO	CE	W/P	N	3 XLR	UPQ-D2,EU,W/P,3P,PM35MM	09.292.001.07	\$ 9,770
UPQ-D2	EURO	CE	W/P	Y	3 XLR	UPQ-D2,EU,W/P,RMS,3P,PM35MM	09.292.001.05	\$ 10,310
UPQ-D2	CHINA	CCC	STD	N	3 XLR	UPQ-D2,CCC,STD,3P,PM35MM,10A CHINA	09.292.001.11	\$ 8,900
UPQ-D2	CHINA	CCC	STD	Y	3 XLR	UPQ-D2,CCC,STD,RMS,3P,PM35MM,10A CHINA	09.292.001.12	\$ 9,440
UPQ-D2	CHINA	CCC	STD	Y	5 XLR	UPQ-D2,CCC,STD,RMS,5P,PM35MM,10A CHINA	09.292.001.15	\$ 9,440
UPQ-D2	CHINA	CCC	W/P	N	3 XLR	UPQ-D2,CCC,W/P,3P,PM35MM,10A CHINA	09.292.001.13	\$ 9,770
UPQ-D2	CHINA	CCC	W/P	Y	3 XLR	UPQ-D2,CCC,W/P,RMS,3P,PM35MM,10A CHINA	09.292.001.14	\$ 10,310
UPQ-D2	CHINA	CCC	W/P	Y	5 XLR	UPQ-D2,CCC,W/P,RMS,5P,PM35MM,10A CHINA	09.292.001.16	\$ 10,310
UPQ-D2	INDIA	BIS	STD	N	3 XLR	UPQ-D2,INDIA,STD,3P,PM35MM	09.292.001.17	\$ 8,900
UPQ-D2	INDIA	BIS	STD	Y	3 XLR	UPQ-D2,INDIA,STD,RMS,3P,PM35MM	09.292.001.18	\$ 9,440
UPQ-D2	INDIA	BIS	STD	Y	5 XLR	UPQ-D2,INDIA,STD,RMS,5P,PM35MM	09.292.001.21	\$ 9,440
UPQ-D2	INDIA	BIS	W/P	N	3 XLR	UPQ-D2,INDIA,W/P,3P,PM35MM	09.292.001.19	\$ 9,770



# Professional Sound Reinforcement and Recording Products

Prices Effective March 31, 2021



UPQ-D2	INDIA	BIS	W/P	Y	3 XLR	UPQ-D2,INDIA,W/P,RMS,3P,PM35MM	09.292.001.20	\$ 10,310
UPQ-D2	INDIA	BIS	W/P	Y	5 XLR	UPQ-D2,INDIA,W/P,RMS,5P,PM35MM	09.292.001.22	\$ 10,310
UPQ-D3	US	UL	STD	N	3 XLR	UPQ-D3,US,STD,3P,PM38MM	09.293.001.02	\$ 8,900
UPQ-D3	US	UL	STD	Y	3 XLR	UPQ-D3,US,STD,RMS,3P,PM38MM	09.293.001.03	\$ 9,440
UPQ-D3	US	UL	STD	Y	5 XLR	UPQ-D3,US,STD,RMS,5P,PM38MM	09.293.001.09	\$ 9,440
UPQ-D3	US	UL	W/P	N	3 XLR	UPQ-D3,US,W/P,3P,PM38MM	09.293.001.08	\$ 9,770
UPQ-D3	US	UL	W/P	Y	3 XLR	UPQ-D3,US,W/P,RMS,3P,PM38MM	09.293.001.06	\$ 10,310
UPQ-D3	US	UL	W/P	Y	5 XLR	UPQ-D3,US,W/P,RMS,5P,PM38MM	09.293.001.23	\$ 10,310
UPQ-D3	EURO	EAC	STD	Y	3 XLR	UPQ-D3,EAC,STD,RMS,3P,PM35MM	09.293.001.26	\$ 9,440
UPQ-D3	EURO	CE	STD	N	3 XLR	UPQ-D3,EU,STD,3P,PM35MM	09.293.001.01	\$ 8,900
UPQ-D3	EURO	CE	STD	Y	3 XLR	UPQ-D3,EU,STD,RMS,3P,PM35MM	09.293.001.04	\$ 9,440
UPQ-D3	EURO	CE	STD	Y	5 XLR	UPQ-D3,EU,STD,RMS,5P,PM35MM	09.293.001.10	\$ 9,440
UPQ-D3	EURO	CE	W/P	N	3 XLR	UPQ-D3,EU,W/P,3P,PM35MM	09.293.001.07	\$ 9,770
UPQ-D3	EURO	CE	W/P	Y	3 XLR	UPQ-D3,EU,W/P,RMS,3P,PM35MM	09.293.001.05	\$ 10,310
UPQ-D3	CHINA	CCC	STD	N	3 XLR	UPQ-D3,CCC,STD,3P,PM35MM,10A CHINA	09.293.001.11	\$ 8,900
UPQ-D3	CHINA	CCC	STD	Y	3 XLR	UPQ-D3,CCC,STD,RMS,3P,PM35MM,10A CHINA	09.293.001.12	\$ 9,440
UPQ-D3	CHINA	CCC	STD	Y	5 XLR	UPQ-D3,CCC,STD,RMS,5P,PM35MM,10A CHINA	09.293.001.15	\$ 9,440
UPQ-D3	CHINA	CCC	W/P	N	3 XLR	UPQ-D3,CCC,W/P,3P,PM35MM,10A CHINA	09.293.001.13	\$ 9,770
UPQ-D3	CHINA	CCC	W/P	Y	3 XLR	UPQ-D3,CCC,W/P,RMS,3P,PM35MM,10A CHINA	09.293.001.14	\$ 10,310
UPQ-D3	CHINA	CCC	W/P	Y	5 XLR	UPQ-D3,CCC,W/P,RMS,5P,PM35MM,10A CHINA	09.293.001.16	\$ 10,310
UPQ-D3	INDIA	BIS	STD	N	3 XLR	UPQ-D3,INDIA,STD,3P,PM35MM	09.293.001.17	\$ 8,900
UPQ-D3	INDIA	BIS	STD	Y	3 XLR	UPQ-D3,INDIA,STD,RMS,3P,PM35MM	09.293.001.18	\$ 9,440
UPQ-D3	INDIA	BIS	STD	Y	5 XLR	UPQ-D3,INDIA,STD,RMS,5P,PM35MM	09.293.001.21	\$ 9,440
UPQ-D3	INDIA	BIS	W/P	N	3 XLR	UPQ-D3,INDIA,W/P,3P,PM35MM	09.293.001.19	\$ 9,770
UPQ-D3	INDIA	BIS	W/P	Y	3 XLR	UPQ-D3,INDIA,W/P,RMS,3P,PM35MM	09.293.001.20	\$ 10,310
UPQ-D3	INDIA	BIS	W/P	Y	5 XLR	UPQ-D3,INDIA,W/P,RMS,5P,PM35MM	09.293.001.22	\$ 10,310

UPQ Accessories		
Description	Part Number	List Price
UPQ-1P EYE BOLT KIT	40.185.013.01	\$ 30
MPA-UPQ PICKUP ARRAY PLATE KIT	40.185.054.01	\$ 500
MYA-UPQ CRADLE STYLE YOKE KIT	40.185.052.01	\$ 490

# Professional Sound Reinforcement and Recording Products

Prices Effective March 31, 2021



## ULTRA-X40

Mid-sized point-source loudspeaker for applications including small concert halls, theaters, clubs, and houses of worship. Powerful yet compact with rotatable horn and QuickFly® mounting provides installation flexibility. ULTRA-X40 provides 110° x 50° coverage, and ULTRA-X42 provides 70° x 50° coverage. Pairs ideally with the 750-LFC low-frequency control element in native mode or the 500-HP subwoofer.



Model	Cord	Zone	Protect	RMS	Input	Product Name	Part Number	List Price
ULTRA-X40	US	UL	STD	N	3 XLR	ULTRA-X40,US,110,STD,3PIN	09.287.001.04	\$ 5,600
ULTRA-X40	US	UL	STD	Y	3 XLR	ULTRA-X40,US,110,STD,RMS,3PIN	09.287.001.01	\$ 6,140
ULTRA-X40	US	UL	STD	Y	5 XLR	ULTRA-X40,US,110,STD,RMS,5PIN	09.287.001.07	\$ 6,140
ULTRA-X40	US	UL	W/P	N	3 XLR	ULTRA-X40,US,110,W/P ,3PIN	09.287.001.05	\$ 6,260
ULTRA-X40	US	UL	W/P	Y	3 XLR	ULTRA-X40,US,110,W/P,RMS,3PIN	09.287.001.02	\$ 6,800
ULTRA-X40	US	UL	W/P	Y	5 XLR	ULTRA-X40,US,110,W/P,RMS,5PIN	09.287.001.08	\$ 6,800
ULTRA-X40	EURO	EAC	STD	N	3 XLR	ULTRA-X40,EAC,110,STD EURO CORD	09.287.001.28	\$ 5,600
ULTRA-X40	EURO	CE	STD	N	3 XLR	ULTRA-X40,EU,110,STD,3PIN	09.287.001.17	\$ 5,600
ULTRA-X40	EURO	CE	STD	Y	3 XLR	ULTRA-X40,EU,110,STD,RMS,3PIN	09.287.001.14	\$ 6,140
ULTRA-X40	EURO	CE	STD	Y	5 XLR	ULTRA-X40,EU,110,STD,RMS,5PIN	09.287.001.20	\$ 6,140
ULTRA-X40	EURO	CE	W/P	N	3 XLR	ULTRA-X40,EU,110,W/P ,3PIN	09.287.001.18	\$ 6,260
ULTRA-X40	EURO	CE	W/P	Y	3 XLR	ULTRA-X40,EU,110,W/P ,RMS,3PIN	09.287.001.15	\$ 6,800
ULTRA-X40	EURO	CE	W/P	Y	5 XLR	ULTRA-X40,EU,110,W/P ,RMS,5PIN	09.287.001.21	\$ 6,800
ULTRA-X40	CHINA	CCC	STD	N	3 XLR	ULTRA-X40,CCC,110,STD,3PIN,10ACORD	09.287.001.23	\$ 5,600
ULTRA-X40	CHINA	CCC	STD	Y	3 XLR	ULTRA-X40,CCC,110,STD,RMS,3PIN,10ACORD	09.287.001.10	\$ 6,140
ULTRA-X40	CHINA	CCC	W/P	Y	3 XLR	ULTRA-X40,CCC,110,W/P,RMS,3PIN,10ACORD	09.287.001.24	\$ 6,800
ULTRA-X40	INDIA	BIS	STD	N	3 XLR	ULTRA-X40,INDIA,110,STD,3PIN	09.287.001.12	\$ 5,600
ULTRA-X40	INDIA	BIS	STD	Y	3 XLR	ULTRA-X40,INDIA,110,STD,RMS,3PIN	09.287.001.11	\$ 6,140
ULTRA-X40	INDIA	BIS	W/P	Y	3 XLR	ULTRA-X40,INDIA,110,W/P,RMS,3PIN	09.287.001.13	\$ 6,800
ULTRA-X42	US	UL	STD	N	3 XLR	ULTRA-X42,US,70,STD,3PIN	09.294.001.04	\$ 5,600
ULTRA-X42	US	UL	STD	Y	3 XLR	ULTRA-X42,US,70,STD,RMS,3PIN	09.294.001.01	\$ 6,140
ULTRA-X42	US	UL	STD	Y	5 XLR	ULTRA-X42,US,70,STD,RMS,5PIN	09.294.001.07	\$ 6,140
ULTRA-X42	US	UL	W/P	N	3 XLR	ULTRA-X42,US,70,W/P ,3PIN	09.294.001.05	\$ 6,260
ULTRA-X42	US	UL	W/P	Y	3 XLR	ULTRA-X42,US,70,W/P,RMS,3PIN	09.294.001.02	\$ 6,800
ULTRA-X42	US	UL	W/P	Y	5 XLR	ULTRA-X42,US,70,W/P,RMS,5PIN	09.294.001.08	\$ 6,800
ULTRA-X42	EURO	EAC	STD	N	3 XLR	ULTRA-X42,EAC,70,STD,3PIN EURO CORD	09.294.001.28	\$ 5,600
ULTRA-X42	EURO	CE	STD	N	3 XLR	ULTRA-X42,EU,70,STD,3PIN	09.294.001.17	\$ 5,600
ULTRA-X42	EURO	CE	STD	Y	3 XLR	ULTRA-X42,EU,70,STD,RMS,3PIN	09.294.001.14	\$ 6,140
ULTRA-X42	EURO	CE	STD	Y	5 XLR	ULTRA-X42,EU,70,STD,RMS,5PIN	09.294.001.20	\$ 6,140
ULTRA-X42	EURO	CE	W/P	N	3 XLR	ULTRA-X42,EU,70,W/P ,3PIN	09.294.001.18	\$ 6,260
ULTRA-X42	EURO	CE	W/P	Y	3 XLR	ULTRA-X42,EU,70,W/P ,RMS,3PIN	09.294.001.15	\$ 6,800
ULTRA-X42	EURO	CE	W/P	Y	5 XLR	ULTRA-X42,EU,70,W/P ,RMS,5PIN	09.294.001.21	\$ 6,800
ULTRA-X42	CHINA	CCC	STD	N	3 XLR	ULTRA-X42,CCC,70,STD,3PIN,10ACORD	09.294.001.23	\$ 5,600
ULTRA-X42	CHINA	CCC	STD	Y	3 XLR	ULTRA-X42,CCC,70,STD,RMS,3PIN,10ACORD	09.294.001.10	\$ 6,140
ULTRA-X42	CHINA	CCC	W/P	Y	3 XLR	ULTRA-X42,CCC,70,W/P,RMS,3PIN,10ACORD	09.294.001.24	\$ 6,800
ULTRA-X42	INDIA	BIS	STD	N	3 XLR	ULTRA-X42,INDIA,70,STD,3PIN	09.294.001.12	\$ 5,600
ULTRA-X42	INDIA	BIS	STD	Y	3 XLR	ULTRA-X42,INDIA,70,STD,RMS,3PIN	09.294.001.11	\$ 6,140
ULTRA-X42	INDIA	BIS	W/P	Y	3 XLR	ULTRA-X42,INDIA,70,W/P,RMS,3PIN	09.294.001.13	\$ 6,800

# Professional Sound Reinforcement and Recording Products

Prices Effective March 31, 2021



ULTRA-X40 Accessories		
Description	Part Number	List Price
35MM POLE STAND ASSY KIT	40.010.971.01	\$ 50
MCP50-X40 CLUSTER PLATE KIT	40.287.100.01	\$ 350
MCP70-X40 CLUSTER PLATE KIT	40.287.400.01	\$ 380
MPK-POLE,35MM/M20 ADJ. UNIVERSAL POLE KI	40.010.973.01	\$ 120
MSA-STAND ADAPTER CUP 35MM 60 LBS	40.086.013.01	\$ 50
MTB-X40 TOP BRACKET KIT	40.287.150.01	\$ 260
MTC-X40 TOP CHANNEL KIT	40.287.130.01	\$ 150
MUB-X40 U-BRACKET KIT	40.287.055.01	\$ 210
MYA-X40 YOKE KIT	40.287.039.01	\$ 270
PAS-M20 ADAPTER SLEEVE M20 (35MM POLE)	40.010.974.01	\$ 20

# Professional Sound Reinforcement and Recording Products

Prices Effective March 31, 2021



## ULTRA-X20

Meyer Sound's ULTRA-X20 self-powered full-range loudspeaker brings state-of-the-art ULTRA-X40 point-source technology to a smaller, lighter footprint, ideal for installed and portable applications where size and weight are critical factors. ULTRA-X20 provides 110° x 50° coverage, ULTRA-X22 provides 80° x 50° coverage, and ULTRA-X23 provides 110° x 110° coverage. All Milan versions of the ULTRA-X20 include remote monitoring via the EtherCon connector.



Model	Cord	Zone	Protect	RMS	Input	Product Name	Part Number	List Price
ULTRA-X20	US	UL	STD	N	3 XLR	ULTRA-X20,US,STD,3PIN	09.297.001.03	\$ 4,100
ULTRA-X20	US	UL	STD	Y	5 XLR	ULTRA-X20,US,STD,RMS,5PIN	09.297.001.01	\$ 4,620
ULTRA-X20	US	UL	STD	Y	EtherCON	ULTRA-X20,US,STD,MILAN	09.297.201.01	\$ 4,620
ULTRA-X20	US	UL	W/P	N	3 XLR	ULTRA-X20,US,W/P,3PIN	09.297.001.04	\$ 4,715
ULTRA-X20	US	UL	W/P	Y	EtherCON	ULTRA-X20,US,W/P,MILAN	09.297.201.02	\$ 5,235
ULTRA-X20	EJURO	EAC	STD	N	3 XLR	ULTRA-X20,EAC,STD,3PIN	09.297.001.16	\$ 4,100
ULTRA-X20	EJURO	EAC	STD	Y	5 XLR	ULTRA-X20,EAC,STD,RMS,5PIN	09.297.001.15	\$ 4,620
ULTRA-X20	EJURO	CE	STD	N	3 XLR	ULTRA-X20,EJ,STD,3PIN	09.297.001.07	\$ 4,100
ULTRA-X20	EJURO	CE	STD	Y	5 XLR	ULTRA-X20,EJ,STD,RMS,5PIN	09.297.001.05	\$ 4,620
ULTRA-X20	EJURO	CE	STD	Y	EtherCON	ULTRA-X20,EJ,STD,MILAN	09.297.201.03	\$ 4,620
ULTRA-X20	EJURO	CE	W/P	N	3 XLR	ULTRA-X20,EJ,W/P,3PIN	09.297.001.08	\$ 4,715
ULTRA-X20	EJURO	CE	W/P	Y	EtherCON	ULTRA-X20,EJ,W/P,MILAN	09.297.201.04	\$ 5,235
ULTRA-X20	CHINA	CCC	STD	N	3 XLR	ULTRA-X20,CCC,STD,3PIN,10ACORD	09.297.001.10	\$ 4,100
ULTRA-X20	CHINA	CCC	STD	Y	5 XLR	ULTRA-X20,CCC,STD,RMS,5PIN,10ACORD	09.297.001.09	\$ 4,620
ULTRA-X20	INDIA	BIS	STD	N	3 XLR	ULTRA-X20,INDIA,STD,3PIN,INDIA CORD	09.297.001.13	\$ 4,100
ULTRA-X20	INDIA	BIS	STD	Y	5 XLR	ULTRA-X20,INDIA,STD,RMS,5PIN,INDIA CORD	09.297.001.12	\$ 4,620
ULTRA-X20XP	no	CCC	STD	N	Phoenix 5	ULTRA-X20XP,CCC,STD,PHOENIX	09.297.101.03	\$ 3,800
ULTRA-X20XP	no	CCC	W/P	N	Phoenix 5	ULTRA-X20XP,CCC,W/P,PHOENIX	09.297.101.04	\$ 4,415
ULTRA-X20XP	no	EAC	STD	N	Phoenix 5	ULTRA-X20XP,EAC,STD,PHOENIX	09.297.101.05	\$ 3,800
ULTRA-X20XP	no	EAC	W/P	N	Phoenix 5	ULTRA-X20XP,EAC,W/P,PHOENIX	09.297.101.06	\$ 4,415
ULTRA-X20XP	no	UL & CE	STD	N	Phoenix 5	ULTRA-X20XP,STD,PHOENIX	09.297.101.01	\$ 3,800
ULTRA-X20XP	no	UL & CE	W/P	N	Phoenix 5	ULTRA-X20XP,W/P,PHOENIX	09.297.101.02	\$ 4,415
ULTRA-X22	US	UL	STD	N	3 XLR	ULTRA-X22,US,STD,3PIN	09.306.001.03	\$ 4,100
ULTRA-X22	US	UL	STD	Y	5 XLR	ULTRA-X22,US,STD,RMS,5PIN	09.306.001.01	\$ 4,620
ULTRA-X22	US	UL	STD	Y	EtherCON	ULTRA-X22,US,STD,MILAN	09.306.201.01	\$ 4,620
ULTRA-X22	US	UL	W/P	N	3 XLR	ULTRA-X22,US,W/P,3PIN	09.306.001.04	\$ 4,715
ULTRA-X22	US	UL	W/P	Y	EtherCON	ULTRA-X22,US,W/P,MILAN	09.306.201.02	\$ 5,235
ULTRA-X22	EJURO	EAC	STD	N	3 XLR	ULTRA-X22,EAC,STD,3PIN	09.306.001.16	\$ 4,100
ULTRA-X22	EJURO	EAC	STD	Y	5 XLR	ULTRA-X22,EAC,STD,RMS,5PIN	09.306.001.15	\$ 4,620
ULTRA-X22	EJURO	CE	STD	N	3 XLR	ULTRA-X22,EJ,STD,3PIN	09.306.001.07	\$ 4,100
ULTRA-X22	EJURO	CE	STD	Y	5 XLR	ULTRA-X22,EJ,STD,RMS,5PIN	09.306.001.05	\$ 4,620
ULTRA-X22	EJURO	CE	STD	Y	EtherCON	ULTRA-X22,EJ,STD,MILAN	09.306.201.03	\$ 4,620
ULTRA-X22	EJURO	CE	W/P	N	3 XLR	ULTRA-X22,EJ,W/P,3PIN	09.306.001.08	\$ 4,715
ULTRA-X22	EJURO	CE	W/P	Y	EtherCON	ULTRA-X22,EJ,W/P,MILAN	09.306.201.04	\$ 5,235
ULTRA-X22	CHINA	CCC	STD	N	3 XLR	ULTRA-X22,CCC,STD,3PIN,10ACORD	09.306.001.10	\$ 4,100
ULTRA-X22	CHINA	CCC	STD	Y	5 XLR	ULTRA-X22,CCC,STD,RMS,5PIN,10ACORD	09.306.001.09	\$ 4,620
ULTRA-X22	INDIA	BIS	STD	N	3 XLR	ULTRA-X22,INDIA,STD,3PIN,INDIA CORD	09.306.001.13	\$ 4,100
ULTRA-X22	INDIA	BIS	STD	Y	5 XLR	ULTRA-X22,INDIA,STD,RMS,5PIN,INDIA CORD	09.306.001.12	\$ 4,620
ULTRA-X22XP	no	CCC	STD	N	Phoenix 5	ULTRA-X22XP,CCC,STD,PHOENIX	09.306.101.03	\$ 3,800
ULTRA-X22XP	no	CCC	W/P	N	Phoenix 5	ULTRA-X22XP,CCC,W/P,PHOENIX	09.306.101.04	\$ 4,415
ULTRA-X22XP	no	EAC	STD	N	Phoenix 5	ULTRA-X22XP,EAC,STD,PHOENIX	09.306.101.05	\$ 3,800
ULTRA-X22XP	no	EAC	W/P	N	Phoenix 5	ULTRA-X22XP,EAC,W/P,PHOENIX	09.306.101.06	\$ 4,415
ULTRA-X22XP	no	UL & CE	STD	N	Phoenix 5	ULTRA-X22XP,STD,PHOENIX	09.306.101.01	\$ 3,800
ULTRA-X22XP	no	UL & CE	W/P	N	Phoenix 5	ULTRA-X22XP,W/P,PHOENIX	09.306.101.02	\$ 4,415
ULTRA-X23	US	UL	STD	N	3 XLR	ULTRA-X23,US,STD,3PIN	09.307.001.03	\$ 4,100
ULTRA-X23	US	UL	STD	Y	5 XLR	ULTRA-X23,US,STD,RMS,5PIN	09.307.001.01	\$ 4,620
ULTRA-X23	US	UL	STD	Y	EtherCON	ULTRA-X23,US,STD,MILAN	09.307.201.01	\$ 4,620
ULTRA-X23	US	UL	W/P	N	3 XLR	ULTRA-X23,US,W/P,3PIN	09.307.001.04	\$ 4,715

# Professional Sound Reinforcement and Recording Products

Prices Effective March 31, 2021



ULTRA-X23	US	UL	W/P	Y	EtherCON	ULTRA-X23,US,W/P,MILAN	09.307.201.02	\$	5,235
ULTRA-X23	EURO	EAC	STD	N	3 XLR	ULTRA-X23,EAC,STD,3PIN	09.307.001.16	\$	4,100
ULTRA-X23	EURO	EAC	STD	Y	5 XLR	ULTRA-X23,EAC,STD,RMS,5PIN	09.307.001.15	\$	4,620
ULTRA-X23	EURO	CE	STD	N	3 XLR	ULTRA-X23,EU,STD,3PIN	09.307.001.07	\$	4,100
ULTRA-X23	EURO	CE	STD	Y	5 XLR	ULTRA-X23,EU,STD,RMS,5PIN	09.307.001.05	\$	4,620
ULTRA-X23	EURO	CE	STD	Y	EtherCON	ULTRA-X23,EU,STD,MILAN	09.307.201.03	\$	4,620
ULTRA-X23	EURO	CE	W/P	N	3 XLR	ULTRA-X23,EU,W/P,3PIN	09.307.001.08	\$	4,715
ULTRA-X23	EURO	CE	W/P	Y	EtherCON	ULTRA-X23,EU,W/P,MILAN	09.307.201.04	\$	5,235
ULTRA-X23	CHINA	CCC	STD	N	3 XLR	ULTRA-X23,CCC,STD,3PIN,10ACORD	09.307.001.10	\$	4,100
ULTRA-X23	CHINA	CCC	STD	Y	5 XLR	ULTRA-X23,CCC,STD,RMS,5PIN,10ACORD	09.307.001.09	\$	4,620
ULTRA-X23	INDIA	BIS	STD	N	3 XLR	ULTRA-X23,INDIA,STD,3PIN,INDIA CORD	09.307.001.13	\$	4,100
ULTRA-X23	INDIA	BIS	STD	Y	5 XLR	ULTRA-X23,INDIA,STD,RMS,5PIN,INDIA CORD	09.307.001.12	\$	4,620
ULTRA-X23XP	no	CCC	STD	N	Phoenix 5	ULTRA-X23XP,CCC,STD,PHOENIX	09.307.101.03	\$	3,800
ULTRA-X23XP	no	CCC	W/P	N	Phoenix 5	ULTRA-X23XP,CCC,W/P,PHOENIX	09.307.101.04	\$	4,415
ULTRA-X23XP	no	EAC	STD	N	Phoenix 5	ULTRA-X23XP,EAC,STD,PHOENIX	09.307.101.05	\$	3,800
ULTRA-X23XP	no	EAC	W/P	N	Phoenix 5	ULTRA-X23XP,EAC,W/P,PHOENIX	09.307.101.06	\$	4,415
ULTRA-X23XP	no	UL & CE	STD	N	Phoenix 5	ULTRA-X23XP,STD,PHOENIX	09.307.101.01	\$	3,800
ULTRA-X23XP	no	UL & CE	W/P	N	Phoenix 5	ULTRA-X23XP,W/P,PHOENIX	09.307.101.02	\$	4,415

## ULTRA-X20 Accessories

Description	Part Number	List Price
MTC-X20 TOP CHANNEL KIT	40.297.430.01	\$ 150
MUB ULTRA X20 U-BRACKET KIT	40.297.454.01	\$ 190
MYA-X20 YOKE KIT	40.297.450.01	\$ 240
PAS-M8 ADAPTER SLEEVE M8 (35MM POLE)	40.010.975.01	\$ 20

# Professional Sound Reinforcement and Recording Products

Prices Effective March 31, 2021



## UPJ

Mid-sized point-source loudspeaker with rotatable horn for flexible horizontal or vertical coverage. Available with IntelligentDC or AC power. Suitable for smaller applications than the UPA series. Pairs with the UMS, 500-HP, 900-LFC, and 750-LFC subwoofers.



Model	Cord	Zone	Protect	RMS	Input	Product Name	Part Number	List Price
UPJ-1P	US	UL	STD	N	3 XLR	UPJ-1P,TPL,LOOP,80,PAINTED (DOM CORD)	09.134.001.02	\$ 5,250
UPJ-1P	US	UL	STD	N	3 XLR	UPJ-1P,TPL,LOOP/ATTN/POL,50,PNTD,DOMSTC	09.134.001.62	\$ 5,320
UPJ-1P	US	UL	STD	N	3 XLR	UPJ-1P,TPL,LOOP,50,PAINTED (DOM CORD)	09.134.001.52	\$ 5,250
UPJ-1P	US	UL	STD	N	3 XLR	UPJ-1P,TPL,LOOP/ATTN/POL,80,PNTD (DOM CO	09.134.001.12	\$ 5,320
UPJ-1P	US	UL	STD	Y	3 XLR	UPJ-1P,RMS,LOOP,80,PAINTED (DOM CORD)	09.134.001.06	\$ 5,780
UPJ-1P	US	UL	STD	Y	3 XLR	UPJ-1P,RMS,LOOP/ATTN/POL,50,PNTD,DOMSTC	09.134.001.63	\$ 5,850
UPJ-1P	US	UL	STD	Y	3 XLR	UPJ-1P,RMS,LOOP,50,PAINTED (DOM CORD)	09.134.001.56	\$ 5,780
UPJ-1P	US	UL	STD	Y	3 XLR	UPJ-1P,RMS,LOOP/ATTN/POL,80,PTD,DOMSTC	09.134.001.13	\$ 5,850
UPJ-1P	US	UL	STD	Y	5 XLR	UPJ-1P,RMS,5-PIN,UL,80,PTD (DOM CORD)	09.134.001.20	\$ 5,780
UPJ-1P	US	UL	W/P	N	3 XLR	UPJ-1P,W/P,TPL,LOOP,80,PTD (DOM CORD)	09.134.001.04	\$ 5,920
UPJ-1P	US	UL	W/P	N	3 XLR	UPJ-1P,W/P,TPL,LOOP,50,PTD (DOM CORD)	09.134.001.54	\$ 5,920
UPJ-1P	US	UL	W/P	Y	3 XLR	UPJ-1P,W/P,RMS,LOOP,80,PTD (DOM CORD)	09.134.001.08	\$ 6,460
UPJ-1P	US	UL	W/P	Y	3 XLR	UPJ-1P,W/P,RMS,LOOP,50,PTD (DOM CORD)	09.134.001.58	\$ 6,460
UPJ-1P	EURO	CE	STD	N	3 XLR	UPJ-1P,TPL,CE,LOOP,80,PAINTED (EUR CORD)	09.134.001.01	\$ 5,250
UPJ-1P	EURO	CE	STD	N	3 XLR	UPJ-1P,TPL,CE,LOOP,50,PAINTED (EUR CORD)	09.134.001.51	\$ 5,250
UPJ-1P	EURO	CE	STD	N	3 XLR	UPJ-1P,TPL,CE,LOOP/ATTN/POL,80,PAINTED	09.134.001.11	\$ 5,320
UPJ-1P	EURO	CE	STD	Y	3 XLR	UPJ-1P,RMS,CE,LOOP,80,PAINTED (EUR CORD)	09.134.001.05	\$ 5,780
UPJ-1P	EURO	CE	STD	Y	3 XLR	UPJ-1P,RMS,CE,LOOP,50,PAINTED (EUR CORD)	09.134.001.55	\$ 5,780
UPJ-1P	EURO	CE	STD	Y	3 XLR	UPJ-1P,RMS,CE,LOOP/ATTN/POL,80,PNTD (EUR	09.134.001.14	\$ 5,850
UPJ-1P	EURO	CE	STD	Y	5 XLR	UPJ-1P,RMS,5-PIN,CE,80,PTD (EURO CORD)	09.134.001.10	\$ 5,780
UPJ-1P	EURO	CE	W/P	N	3 XLR	UPJ-1P,W/P,TPL,CE,LOOP,80,PTD (EUR CORD)	09.134.001.03	\$ 5,920
UPJ-1P	EURO	CE	W/P	N	3 XLR	UPJ-1P,W/P,TPL,CE,LOOP,50,PTD (EUR CORD)	09.134.001.53	\$ 5,920
UPJ-1P	EURO	CE	W/P	N	3 XLR	UPJ-1P,W/P,TPL,CE,LOOP/ATTN/POL,80,PAINT	09.134.001.09	\$ 6,000
UPJ-1P	EURO	CE	W/P	Y	3 XLR	UPJ-1P,W/P,RMS,CE,LOOP,80,PTD (EUR CORD)	09.134.001.07	\$ 6,460
UPJ-1P	EURO	CE	W/P	Y	3 XLR	UPJ-1P,W/P,RMS,CE,LOOP,50,PTD (EUR CORD)	09.134.001.57	\$ 6,460
UPJ-1P	CHINA	CCC	STD	N	3 XLR	UPJ-1P,TPL,CCC,LOOP,80,PTD,(CCC CORDSET)	09.134.001.15	\$ 5,250
UPJ-1P	CHINA	CCC	STD	Y	3 XLR	UPJ-1P,RMS,CCC,LOOP,80,PTD,(CCC CORDSET)	09.134.001.64	\$ 5,780
UPJ-1P	CHINA	CCC	W/P	N	3 XLR	UPJ-1P W/P,TPL,CCC,LOOP,80	09.134.001.16	\$ 5,920
UPJ-1P	CHINA	CCC	W/P	Y	3 XLR	UPJ-1P,W/P,RMS,CCC,LOOP,80,PTD,(CCC CORD	09.134.001.65	\$ 6,460
UPJ-1P	INDIA	BIS	STD	N	3 XLR	UPJ-1P,TPL,BIS,LOOP,80,PAINTED (INDIA)	09.134.001.18	\$ 5,250
UPJ-1P	INDIA	BIS	STD	Y	3 XLR	UPJ-1P,RMS,BIS,LOOP,80,PAINTED (INDIA)	09.134.001.17	\$ 5,780
UPJ-1P	INDIA	BIS	W/P	N	3 XLR	UPJ-1P,W/P,TPL,BIS,LOOP,80,PTD INDIA CRD	09.134.001.19	\$ 5,920
UPJ-1XP	no	CCC		N	EN-3	UPJ-1XP,CCC,STD,80,48V,EN3	09.134.004.14	\$ 4,930
UPJ-1XP	no	CCC	STD	N	Phoenix 5	UPJ-1XP,CCC,STD,80,48V,PHOENIX	09.134.004.13	\$ 4,930
UPJ-1XP	no	UL & CE	STD	N	EN-3	UPJ-1XP,STD,80,48V,EN3	09.134.004.02	\$ 4,930
UPJ-1XP	no	UL & CE	STD	N	Phoenix 5	UPJ-1XP,STD,50,48V,PHOENIX	09.134.004.51	\$ 4,930
UPJ-1XP	no	UL & CE	STD	N	Phoenix 5	UPJ-1XP,STD,80,48V,PHOENIX	09.134.004.01	\$ 4,930
UPJ-1XP	no	UL & CE	STD	N	ECO-M 7	UPJ-1XP,STD,80,48V,ECOM	09.134.004.07	\$ 4,930
UPJ-1XP	no	UL & CE	W/P	N	EN-3	UPJ-1XP,W/P,80,48V,EN3	09.134.004.03	\$ 5,610
UPJ-1XP	no	UL & CE	W/P	N	Phoenix 5	UPJ-1XP,W/P,80,48V,PHOENIX	09.134.004.11	\$ 5,610
UPJ-1XP	no	UL & CE	W/P	N	ECO-M 7	UPJ-1XP,W/P,50,48V,ECOM	09.134.004.18	\$ 5,610
UPJ-1XP	no	UL & CE	W/P	N	ECO-M 7	UPJ-1XP,W/P,80,48V,ECOM	09.134.004.08	\$ 5,610

# Professional Sound Reinforcement and Recording Products

Prices Effective March 31, 2021



UPJ Accessories		
Description	Part Number	List Price
MAA-UPJ ARRAY ADAPTOR PLATE KIT	40.134.030.01	\$ 350
MAAM-UPJ ARRAY & MONITOR PLATE KIT	40.134.030.02	\$ 350
MUB-UPJ U-BRACKET KIT	40.134.081.01	\$ 290
MYA-UPJ CRADLE-STYLE MOUNTING YOKE KIT	40.134.035.01	\$ 300

# Professional Sound Reinforcement and Recording Products

Prices Effective March 31, 2021



## UPM

Small point-source loudspeaker for applications such as front or under-balcony fill and portable PA systems. Available in wide and narrow coverage configurations. Each configuration available with IntelligentDC or AC power. Pairs with the UMS ultracompact subwoofer.

Model	Cord	Zone	Protect	RMS	Input	Product Name	Part Number	List Price
UPM-1P	US	UL	STD	N	3 XLR	UPM-1P,115V,UL,3/8,LOOP	09.084.001.05	\$ 3,230
UPM-1P	US	UL	STD	N	3 XLR	UPM-1P,115V,UL,M10,LOOP,	09.084.001.18	\$ 3,230
UPM-1P	US	UL	STD	N	3 XLR	UPM-1P,115V,UL,3/8,ATTN	09.084.001.09	\$ 3,300
UPM-1P	US	UL	STD	Y	3 XLR	UPM-1P,115V,UL,3/8,ATTN,RMS	09.084.001.01	\$ 3,830
UPM-1P	US	UL	STD	Y	3 XLR	UPM-1P,115V,UL,3/8,LOOP,RMS	09.084.001.03	\$ 3,760
UPM-1P	US	UL	W/P	N	3 XLR	UPM-1P,W/P,115V,UL,3/8,LOOP	09.084.001.14	\$ 3,690
UPM-1P	US	UL	W/P	N	3 XLR	UPM-1P,115V,UL,3/8,ATTN	09.084.001.24	\$ 3,300
UPM-1P	US	UL	W/P	Y	3 XLR	UPM-1P,W/P,115V,UL,3/8,LOOP,RMS	09.084.001.16	\$ 4,220
UPM-1P	EURO	CE	STD	N	3 XLR	UPM-1P,230V,CE,3/8,LOOP	09.084.001.06	\$ 3,230
UPM-1P	EURO	CE	STD	N	3 XLR	UPM-1P,230V,CE,M10,ATTN	09.084.002.04	\$ 3,300
UPM-1P	EURO	CE	STD	N	3 XLR	UPM-1P,230V,CE,3/8,ATTN	09.084.001.17	\$ 3,300
UPM-1P	EURO	CE	STD	N	3 XLR	UPM-1P,230V,CE,M10,LOOP	09.084.001.07	\$ 3,230
UPM-1P	EURO	CE	STD	Y	3 XLR	UPM-1P,230V,CE,3/8,ATTN,RMS	09.084.001.02	\$ 3,830
UPM-1P	EURO	CE	STD	Y	3 XLR	UPM-1P,230V,CE,M10,ATTN,RMS	09.084.001.10	\$ 3,830
UPM-1P	EURO	CE	STD	Y	3 XLR	UPM-1P,230V,CE,M10,LOOP,RMS	09.084.001.08	\$ 3,760
UPM-1P	EURO	CE	STD	Y	3 XLR	UPM-1P,230V,CE,3/8,LOOP,RMS	09.084.001.04	\$ 3,760
UPM-1P	EURO	CE	W/P	N	3 XLR	UPM-1P,W/P,230V,CE,M10,LOOP	09.084.001.15	\$ 3,690
UPM-1P	EURO	CE	W/P	N	3 XLR	UPM-1P,W/P,230V,CE,3/8,LOOP	09.084.001.22	\$ 3,690
UPM-1P	EURO	CE	W/P	Y	3 XLR	UPM-1P,W/P,230V,CE,M10,LOOP,RMS	09.084.001.25	\$ 4,220
UPM-1P	CHINA	CCC	STD	N	3 XLR	UPM-1P,230V,CCC,M10,LOOP,CHINA	09.084.001.26	\$ 3,230
UPM-1P	CHINA	CCC	STD	Y	3 XLR	UPM-1P,230V,CCC,M10,LOOP,CHINA,RMS	09.084.001.28	\$ 3,760
UPM-1P	INDIA	BIS	STD	N	3 XLR	UPM-1P,230V,BIS,M10,LOOP,INDIA CORD	09.084.001.31	\$ 3,230
UPM-1P	INDIA	BIS	W/P	Y	3 XLR	UPM-1P,W/P,230V,CE,M10,LOOP,RMS,BS CORD	09.084.001.19	\$ 4,220
UPM-1P	JPN	JET	STD	N	3 XLR	UPM-1P,100V,3/8,LOOP	09.084.002.01	\$ 3,230
UPM-1P	JPN	JET	STD	N	3 XLR	UPM-1P,100V,3/8,ATTN	09.084.002.02	\$ 3,300
UPM-1P	JPN	JET	STD	Y	3 XLR	UPM-1P,100V,3/8,LOOP,RMS	09.084.002.03	\$ 3,760
UPM-1P	JPN	JET	STD	Y	3 XLR	UPM-1P,100V,3/8,ATTN,RMS	09.084.002.07	\$ 3,830
UPM-1P	JPN	JET	W/P	N	3 XLR	UPM-1P,W/P,100V,3/8,LOOP	09.084.002.05	\$ 3,690
UPM-1P	JPN	JET	W/P	N	3 XLR	UPM-1P,W/P,100V,3/8,ATTN	09.084.002.06	\$ 3,760
UPM-1XP	no	CCC	STD	N	Phoenix 5	UPM-1XP,CCC,48V,M10,PHOENIX	09.084.140.19	\$ 2,900
UPM-1XP	no	UL & CE	STD	N	EN-3	UPM-1XP,STD,48V,3/8,EN3	09.084.140.03	\$ 2,900
UPM-1XP	no	UL & CE	STD	N	EN-3	UPM-1XP,STD,48V,M10,EN3	09.084.140.04	\$ 2,900
UPM-1XP	no	UL & CE	STD	N	Phoenix 5	UPM-1XP,STD,48V,3/8,PHOENIX	09.084.140.01	\$ 2,900
UPM-1XP	no	UL & CE	STD	N	Phoenix 5	UPM-1XP,STD,48V,M10,PHOENIX	09.084.140.02	\$ 2,900
UPM-1XP	no	UL & CE	STD	N	ECO-M 7	UPM-1XP,STD,48V,3/8,ECOM	09.084.140.13	\$ 2,900
UPM-1XP	no	UL & CE	STD	N	ECO-M 7	UPM-1XP,STD,48V,M10,ECOM	09.084.140.14	\$ 2,900
UPM-1XP	no	UL & CE	W/P	N	EN-3	UPM-1XP,W/P,48V,3/8,EN3	09.084.140.05	\$ 3,360
UPM-1XP	no	UL & CE	W/P	N	EN-3	UPM-1XP,W/P,48V,M10,EN3	09.084.140.06	\$ 3,360
UPM-1XP	no	UL & CE	W/P	N	Phoenix 5	UPM-1XP,W/P,48V,3/8,PHOENIX	09.084.140.15	\$ 3,360
UPM-1XP	no	UL & CE	W/P	N	Phoenix 5	UPM-1XP,W/P,48V,M10,PHOENIX	09.084.140.16	\$ 3,360
UPM-1XP	no	UL & CE	W/P	N	ECO-M 7	UPM-1XP,W/P,48V,3/8,ECOM	09.084.140.17	\$ 3,360
UPM-1XP	no	UL & CE	W/P	N	ECO-M 7	UPM-1XP,W/P,48V,M10,ECOM	09.084.140.18	\$ 3,360
UPM-2P	US	UL	STD	N	3 XLR	UPM-2P,115V,UL,3/8,ATTN	09.097.001.01	\$ 3,300
UPM-2P	US	UL	STD	N	3 XLR	UPM-2P,115V,UL,M10,LOOP	09.097.001.21	\$ 3,230
UPM-2P	US	UL	STD	N	3 XLR	UPM-2P,115V,UL,3/8,LOOP	09.097.001.02	\$ 3,230
UPM-2P	US	UL	STD	Y	3 XLR	UPM-2P,115V,UL,3/8,LOOP,RMS	09.097.001.08	\$ 3,760
UPM-2P	US	UL	W/P	N	3 XLR	UPM-2P,W/P,115V,UL,3/8,LOOP	09.097.001.11	\$ 3,690
UPM-2P	EURO	CE	STD	N	3 XLR	UPM-2P,230V,CE,M10,LOOP	09.097.001.03	\$ 3,230
UPM-2P	EURO	CE	STD	N	3 XLR	UPM-2P,230V,CE,M10,ATTN	09.097.001.06	\$ 3,300



# Professional Sound Reinforcement and Recording Products

Prices Effective March 31, 2021



UPM-2P	EURO	CE	STD	N	3 XLR	UPM-2P,230V,CE,3/8,LOOP	09.097.001.04	\$	3,230
UPM-2P	EURO	CE	STD	Y	3 XLR	UPM-2P,230V,CE,M10,LOOP,RMS	09.097.001.09	\$	3,760
UPM-2P	EURO	CE	STD	Y	3 XLR	UPM-2P,230V,CE,3/8,LOOP,RMS	09.097.001.10	\$	3,760
UPM-2P	EURO	CE	W/P	N	3 XLR	UPM-2P,W/P,230V,CE,M10,LOOP	09.097.001.22	\$	3,690
UPM-2P	CHINA	CCC	STD	N	3 XLR	UPM-2P,230V,CCC,M10,LOOP,CHINA	09.097.001.23	\$	3,230
UPM-2P	JPN	JET	STD	N	3 XLR	UPM-2P,100V,3/8,LOOP	09.097.001.05	\$	3,230
UPM-2P	JPN	JET	STD	N	3 XLR	UPM-2P,100V,3/8,ATTN	09.097.001.12	\$	3,300
UPM-2P	JPN	JET	STD	Y	3 XLR	UPM-2P,100V,3/8,LOOP,RMS	09.097.001.07	\$	3,760
UPM-2P	JPN	JET	STD	Y	3 XLR	UPM-2P,100V,3/8,ATTN,RMS	09.097.001.13	\$	3,830
UPM-2XP	no	CCC	STD	N	Phoenix 5	UPM-2XP,CCC,48V,M10,PHOENIX,STD	09.097.110.19	\$	2,900
UPM-2XP	no	UL & CE	STD	N	EN-3	UPM-2XP,STD,48V,3/8,EN3	09.097.110.03	\$	2,900
UPM-2XP	no	UL & CE	STD	N	EN-3	UPM-2XP,STD,48V,M10,EN3	09.097.110.04	\$	2,900
UPM-2XP	no	UL & CE	STD	N	Phoenix 5	UPM-2XP,STD,48V,3/8,PHOENIX	09.097.110.01	\$	2,900
UPM-2XP	no	UL & CE	STD	N	Phoenix 5	UPM-2XP,STD,48V,M10,PHOENIX	09.097.110.02	\$	2,900
UPM-2XP	no	UL & CE	STD	N	ECO-M 7	UPM-2XP,STD,48V,3/8,ECOM	09.097.110.13	\$	2,900
UPM-2XP	no	UL & CE	STD	N	ECO-M 7	UPM-2XP,STD,48V,M10,ECOM	09.097.110.14	\$	2,900
UPM-2XP	no	UL & CE	W/P	N	EN-3	UPM-2XP,W/P,48V,3/8,EN3	09.097.110.05	\$	3,360
UPM-2XP	no	UL & CE	W/P	N	EN-3	UPM-2XP,W/P,48V,M10,EN3	09.097.110.06	\$	3,360
UPM-2XP	no	UL & CE	W/P	N	Phoenix 5	UPM-2XP,W/P,48V,3/8,PHOENIX	09.097.110.15	\$	3,360
UPM-2XP	no	UL & CE	W/P	N	Phoenix 5	UPM-2XP,W/P,48V,M10,PHOENIX	09.097.110.16	\$	3,360
UPM-2XP	no	UL & CE	W/P	N	ECO-M 7	UPM-2XP,W/P,48V,3/8,ECOM	09.097.110.17	\$	3,360
UPM-2XP	no	UL & CE	W/P	N	ECO-M 7	UPM-2XP,W/P,48V,M10,ECOM	09.097.110.18	\$	3,360

## UPM Accessories

Description	Part Number	List Price
MPK-POLE,35MM/M20 ADJ. UNIVERSAL POLE KI	40.010.973.01	\$ 120
MSA-STAND ADAPTER CUP 35MM 60 LBS	40.086.013.01	\$ 50
MUB-UPM HD BRACKET 10MM NUTPLATE	40.084.095.02	\$ 150
MUB-UPM VR M10 U-BRACKET FOR VERTICAL R	40.084.055.02	\$ 150
MUB-UPM VR 3/8 U-BRACKET FOR VERTICAL RA	40.084.055.01	\$ 150
MUB-UPM HD U-BRACKET KIT 3/8 NUTPLATE	40.084.095.01	\$ 150
MYA-UPM MOUNTING YOKE ASSEMBLY	40.084.038.01	\$ 300

# Professional Sound Reinforcement and Recording Products

Prices Effective March 31, 2021



## UP-4slim

48 V DC UltraCompact Loudspeaker – Aluminum slim cabinet, fitted with 5-pin Phoenix connector. Requires MPS-488HP external power supply to power up to eight UP-4slim or MPS-482HP to power up to two UP-4slim. M8 nut plate rigging on top and bottom. RMS option available on the MPS-488HP.



Model	Zone	Protect	RMS	Input	Product Name	Part Number	List Price
UP-4slim	CCC	STD	N	Phoenix 5	UP-4slim,CCC,STD,M8,PHOENIX	09.274.001.04	\$ 2,740
UP-4slim	EAC	STD	N	Phoenix 5	UP-4slim,EAC,STD,M8,PHOENIX	09.274.001.07	\$ 2,740
UP-4slim	UL & CE	STD	N	Phoenix 5	UP-4slim,STD,M8,PHOENIX	09.274.001.01	\$ 2,740
UP-4slim	UL & CE	W/P	N	Phoenix 5	UP-4slim,W/P,M8,PHOENIX	09.274.001.02	\$ 3,210

### UP-4slim Accessories

Description	Part Number	List Price
MPK-POLE,35MM/M20 ADJ. UNIVERSAL POLE KI	40.010.973.01	\$ 120
MSA-STAND ADAPTER CUP 35MM 60 LBS	40.086.013.01	\$ 50
MUB-UP-4slim KIT	40.274.969.01	\$ 120
MYA-UP-4slim YOKE KIT	40.274.039.01	\$ 260

# Professional Sound Reinforcement and Recording Products

Prices Effective March 31, 2021



## MM-4XP

Miniature loudspeaker for installations and distributed systems. Available in regular and hypercardioid directional versions. IntelligentDC power. Pairs with the MM-10 subwoofer. Provides fill and spot coverage for larger systems.



Model	Cord	Zone	Protect	RMS	Input	Product Name	Part Number	List Price
MM-4XP	Pigtail	CCC	STD	N	EN-3	MM-4XP CCC BLACK,REGULAR PIGTAIL,LDSPKR	09.163.020.05	\$ 990
MM-4XP	Pigtail	UL & CE	STD	N	EN-3	MM-4XP BLACK,REGULAR PIGTAIL,LOUDSPEAKER	09.163.020.01	\$ 990
MM-4XP	Pigtail	UL & CE	STD	N	EN-3	MM-4XP BLACK,PLENUM PIGTAIL,LOUDSPEAKER	09.163.020.02	\$ 990
MM-4XP WHITE	Pigtail	EAC	STD	N	EN-3	MM-4XP EAC WHITE,REG PIGTAIL,LDSPKR	09.163.020.07	\$ 990
MM-4XP WHITE	Pigtail	UL & CE	STD	N	EN-3	MM-4XP WHITE,REGULAR PIGTAIL,LOUDSPEAKER	09.163.020.03	\$ 990
MM-4XP WHITE	Pigtail	UL & CE	STD	N	EN-3	MM-4XP WHITE,PLENUM PIGTAIL,LOUDSPEAKER	09.163.020.04	\$ 990
MM-4XPD	Pigtail	CCC	STD	N	EN-3	MM-4XPD CCC BLACK,REGULAR PIGTAIL,LDSPKR	09.204.001.02	\$ 1,210
MM-4XPD	Pigtail	UL & CE	STD	N	EN-3	MM-4XPD, BLACK, REGULAR PIGTAIL, LDSPKR	09.204.001.01	\$ 1,210

### MM-4XP Accessories

Description	Part Number	List Price
MUB-MM-4XP BLACK U-BRACKET KIT	40.163.003.02	\$ 90
MUB-MM-4XP WHITE U-BRACKET KIT	40.163.003.04	\$ 90
MUB-MM-4XPD BLACK U-BRACKET KIT	40.204.010.01	\$ 90

# Professional Sound Reinforcement and Recording Products

Prices Effective March 31, 2021



## Ashby

IntelligentDC, high-quality, compact, concentric ceiling mount loudspeaker with either a 5" or 8" cone and a 3/4" tweeter. Designed for applications where wide-coverage, accurate music reproduction and voice intelligibility are required, even at high sound levels. Includes grille frame. Standard colors are white and black. Custom colors are available.



Model	Zone	Protect	RMS	Input	Product Name	Part Number	List Price
ASHBY-5C	CCC	STD	N	Phoenix 5	ASHBY-5C LOUDSPKER,CCC,NOATTEN,WHT	09.261.001.05	\$ 1,120
ASHBY-5C	UL & CE	STD	N	Phoenix 5	ASHBY-5C LOUDSPKR,W/ATTEN,BLK	09.261.001.04	\$ 1,170
ASHBY-5C	UL & CE	STD	N	Phoenix 5	ASHBY-5C LOUDSPKER,NO ATTEN,WHT	09.261.001.01	\$ 1,120
ASHBY-5C	UL & CE	STD	N	Phoenix 5	ASHBY-5C LOUDSPKR,W/ATTEN,WHT	09.261.001.03	\$ 1,170
ASHBY-5C	UL & CE	STD	N	Phoenix 5	ASHBY-5C LOUDSPKER,NO ATTEN,BLK	09.261.001.02	\$ 1,120
ASHBY-8C	CCC	STD	N	Phoenix 5	ASHBY-8C LOUDSPKER,CCC,NOATTEN,WHT	09.260.001.05	\$ 1,530
ASHBY-8C	UL & CE	STD	N	Phoenix 5	ASHBY-8C LOUDSPKR,W/ATTEN,BLK	09.260.001.04	\$ 1,580
ASHBY-8C	UL & CE	STD	N	Phoenix 5	ASHBY-8C LOUDSPKER,NO ATTEN,BLK	09.260.001.02	\$ 1,530
ASHBY-8C	UL & CE	STD	N	Phoenix 5	ASHBY-8C LOUDSPKR,W/ATTEN,WHT	09.260.001.03	\$ 1,580
ASHBY-8C	UL & CE	STD	N	Phoenix 5	ASHBY-8C LOUDSPKER,NO ATTEN,WHT	09.260.001.01	\$ 1,530

### Ashby Accessories

Description	Part Number	List Price
ASHBY-5C GRILLE FRAME ASSY BLK KIT	40.261.060.02	\$ 50
ASHBY-5C GRILLE FRAME ASSY WHT KIT	40.261.060.01	\$ 50
ASHBY-5C NEW CONST BRKT KIT	40.261.140.01	\$ 50
ASHBY-5C PENDANT KIT	40.261.030.01	\$ 210
ASHBY-5C TILE C RING KIT	40.261.130.01	\$ 25
ASHBY-5C TILE C RING WITH BRIDGE KIT	40.261.131.01	\$ 55
ASHBY-8C GRILLE FRAME ASSY BLK KIT	40.260.061.02	\$ 70
ASHBY-8C GRILLE FRAME ASSY WHT KIT	40.260.061.01	\$ 70
ASHBY-8C NEW CONST BRKT KIT	40.260.140.01	\$ 50
ASHBY-8C PENDANT KIT	40.260.030.01	\$ 270
ASHBY-8C TILE C RING KIT	40.260.130.01	\$ 35
ASHBY-8C TILE C RING WITH BRIDGE KIT	40.260.131.01	\$ 65

# Professional Sound Reinforcement and Recording Products

Prices Effective March 31, 2021



## MJF

High-fidelity stage monitor with low-profile wedge design, high power-to-weight ratio, and focused coverage.



Model	Cord	Zone	Protect	RMS	Input	Product Name	Part Number	List Price
MJF-208	US	UL	STD	N	3 XLR	MJF-208 FLR MNTR,PWRCNN,US,3PIN	09.259.001.03	\$ 6,500
MJF-208	US	UL	STD	Y	3 XLR	MJF-208 FLR MNTR,PWRCNN,US,RMS,3PIN	09.259.001.01	\$ 7,050
MJF-208	US	UL	STD	Y	5 XLR	MJF-208 FLR MNTR,PWRCNN,US,RMS,5PIN	09.259.001.05	\$ 7,050
MJF-208	EURO	CE	STD	N	3 XLR	MJF-208 FLR MNTR,PWRCNN,CE,3PIN	09.259.001.04	\$ 6,500
MJF-208	EURO	CE	STD	Y	3 XLR	MJF-208 FLR MNTR,PWRCNN,CE,RMS,3PIN	09.259.001.02	\$ 7,050
MJF-208	EURO	CE	STD	Y	5 XLR	MJF-208 FLR MNTR,PWRCNN,CE,RMS,5PIN	09.259.001.06	\$ 7,050
MJF-208	CHINA	CCC	STD	N	3 XLR	MJF-208,CCC,3PIN,10A CHINA PLUG PWRC	09.259.001.08	\$ 6,500
MJF-208	CHINA	CCC	STD	Y	3 XLR	MJF-208,CCC,3PIN,RMS,10A CHINA PLUG PWRC	09.259.001.07	\$ 7,050
MJF-208	INDIA	BIS	STD	N	3 XLR	MJF-208,BIS,3PIN,10A INDIA CORD	09.259.001.10	\$ 6,500
MJF-208	INDIA	BIS	STD	Y	3 XLR	MJF-208,BIS,3PIN,RMS,10A INDIA CORD	09.259.001.09	\$ 7,050
MJF-210	US	UL	STD	N	3 XLR	MJF-210 FLR MNTR,PWRCNN,US,3PIN	09.235.001.03	\$ 7,690
MJF-210	US	UL	STD	Y	3 XLR	MJF-210 FLR MNTR,PWRCNN,US,RMS,3PIN	09.235.001.01	\$ 8,240
MJF-210	US	UL	STD	Y	5 XLR	MJF-210 FLR MNTR,PWRCNN,US,RMS,5PIN	09.235.001.05	\$ 8,240
MJF-210	EURO	CE	STD	N	3 XLR	MJF-210 FLR MNTR,PWRCNN,CE,3PIN	09.235.001.04	\$ 7,690
MJF-210	EURO	CE	STD	Y	3 XLR	MJF-210 FLR MNTR,PWRCNN,CE,RMS,3PIN	09.235.001.02	\$ 8,240
MJF-210	EURO	CE	STD	Y	5 XLR	MJF-210 FLR MNTR,PWRCNN,CE,RMS,5PIN	09.235.001.06	\$ 8,240
MJF-210	CHINA	CCC	STD	N	3 XLR	MJF-210 FLR MNTR,CCC,3PIN,CHINA CORD	09.235.001.08	\$ 7,690
MJF-210	CHINA	CCC	STD	Y	3 XLR	MJF-210 FLR MNTR,CCC,RMS,3PIN,CHINA CORD	09.235.001.07	\$ 8,240
MJF-212A	US	UL	STD	N	3 XLR	MJF-212A FLR MNTR,PWRCNN,US,LOOP	09.157.060.03	\$ 9,320
MJF-212A	US	UL	STD	N	3 XLR	MJF-212A FLR MNTR,PWRCNN,US,LOOP/ATTN/POL	09.157.060.07	\$ 9,390
MJF-212A	US	UL	STD	Y	3 XLR	MJF-212A FLR MNTR,PWRCNN,US,LOOP,RMS	09.157.060.01	\$ 9,870
MJF-212A	US	UL	STD	Y	5 XLR	MJF-212A FLR MNTR,PWRCNN,US,LOOP,RMS	09.157.060.09	\$ 9,870
MJF-212A	EURO	CE	STD	N	3 XLR	MJF-212A FLR MNTR,PWRCNN,EURO,LOOP	09.157.060.04	\$ 9,320
MJF-212A	EURO	CE	STD	Y	3 XLR	MJF-212A FLR MNTR,PWRCNN,EURO,LOOP,RMS	09.157.060.02	\$ 9,870
MJF-212A	EURO	CE	STD	Y	5 XLR	MJF-212A FLR MNTR,PWRCNN,EURO,LOOP,RMS	09.157.060.06	\$ 9,870
MJF-212A	INDIA	BIS	STD	Y	3 XLR	MJF-212A FLR MNTR,PWRCNN,BIS,LP,RMS(INDI	09.157.060.10	\$ 9,870
MJF-212A	no	UL & CE	STD	N	VEAM	MJF-212A FLR MNTR VEAM UL/CE	09.157.060.08	\$ 9,530
MJF-212A	no	UL & CE	STD	Y	VEAM	MJF-212A RMS VEAM PAINT UL/CE	09.157.060.05	\$ 10,090

## CINE-STUDIO

Designed for the ultimate in linearity and accuracy, CINE-STUDIO Series loudspeakers fulfill the exacting requirements of music recording and post-production professionals while also delighting cinema audiences worldwide. The series comprises a complete line of cinema loudspeakers -- screen, surround, and LFE -- as well as recording studio monitors incorporating advanced technology for near-perfect frequency and phase response across the full audio bandwidth.

### Bluehorn System

The Bluehorn System sets a new benchmark for accuracy in studio monitors: a system that marries acoustic precision and digital modeling to offer completely flat amplitude and phase response across the entire audible frequency spectrum. No tradeoffs, no compromises—just the sound that was recorded, exactly as it was recorded. Bluehorn systems are sold as complete systems including all loudspeaker cabinets and the dedicated Bluehorn GALAXY Processor. *Additional factory calibration services are required with each Bluehorn System sale. **Contact your Sales Manager for further details.***

Bluehorn System Stereo (2-Channel) Complete

\$ 84,260

Bluehorn System LCR (3-Channel) Complete

\$ 118,080



# Professional Sound Reinforcement and Recording Products

Prices Effective March 31, 2021



## Acheron



Screen channel loudspeaker for cinema applications. Available in wide and narrow horizontal coverage models. Low-frequency loudspeaker (Acheron LF) augments frequency range of mains. Compact version (Acheron Studio) for smaller cinema applications and postproduction studios. UltraCompact version (Acheron Designer) for small sound design studios and private theatres. THX approved. Used in systems with HMS surround loudspeakers and X-800C or X-400C subwoofers.

Model	Cord	Zone	Protect	RMS	Input	Product Name	Part Number	List Price
Acheron 100	US	UL	STD	N	3 XLR	ACHERON 100,L6-20,PTD	09.189.001.01	\$ 12,310
Acheron 100	US	UL	STD	Y	3 XLR	ACHERON 100,RMS,L6-20,PTD	09.189.001.05	\$ 12,860
Acheron 100	EURO	CE	STD	N	3 XLR	ACHERON 100,IEC-309,PTD	09.189.001.06	\$ 12,310
Acheron 100	EURO	CE	STD	Y	3 XLR	ACHERON 100,RMS,IEC-309,PTD	09.189.001.02	\$ 12,860
Acheron 100	INDIA	BIS	STD	N	3 XLR	ACHERON 100,BIS,IEC-309,PTD	09.189.001.08	\$ 12,310
Acheron 100	INDIA	BIS	STD	Y	3 XLR	ACHERON 100,BIS,RMS,IEC-309,PTD	09.189.001.07	\$ 12,860
Acheron 80	US	UL	STD	N	3 XLR	ACHERON 80,L6-20,PTD	09.188.001.03	\$ 12,310
Acheron 80	US	UL	STD	Y	3 XLR	ACHERON 80,RMS,L6-20,PTD	09.188.001.05	\$ 12,860
Acheron 80	EURO	BIS	STD	N	3 XLR	ACHERON 80,BIS,IEC-309,PAINTED	09.188.001.07	\$ 12,310
Acheron 80	EURO	CE	STD	N	3 XLR	ACHERON 80,IEC-309,PTD	09.188.001.04	\$ 12,310
Acheron 80	EURO	CE	STD	Y	3 XLR	ACHERON 80,RMS,IEC-309,PTD	09.188.001.01	\$ 12,860
Acheron Designer	US	UL	STD	N	3 XLR	ACHERON DESIGNER,POWERCON,US,LOOP,PTD	09.211.001.03	\$ 9,610
Acheron Designer	US	UL	STD	Y	3 XLR	ACHERON DESIGNER,RMS,PWRON,US,LOOP,PTD	09.211.001.05	\$ 10,170
Acheron Designer	EURO	EAC	STD	N	3 XLR	ACHERON DESIGNER,EAC,LOOP,CE CORD	09.211.001.11	\$ 9,610
Acheron Designer	EURO	CE	STD	N	3 XLR	ACHERON DESIGNER,POWERCON,CE,LOOP,PTD	09.211.001.04	\$ 9,610
Acheron Designer	EURO	CE	STD	Y	3 XLR	ACHERON DESIGNER,RMS,PWRON,CE,LOOP,PTD	09.211.001.06	\$ 10,170
Acheron Designer	CHINA	CCC	STD	N	3 XLR	ACHERON DESIGNER,CCC,CHINA 16A CORD,LOOP	09.211.001.09	\$ 9,610
Acheron Designer	INDIA	BIS	STD	N	3 XLR	ACHERON DESIGNER,POWERCON,BIS,LOOP	09.211.001.07	\$ 9,610
Acheron Designer	INDIA	BIS	STD	Y	3 XLR	ACHERON DESIGNER,BIS,RMS,PWRON,LOOP	09.211.001.08	\$ 10,170
Acheron LF	US	UL	STD	N	3 XLR	ACHERON LF,L6-20,PTD	09.193.001.03	\$ 8,330
Acheron LF	US	UL	STD	Y	3 XLR	ACHERON LF,RMS,L6-20,PAINTED	09.193.001.01	\$ 8,890
Acheron LF	EURO	CE	STD	N	3 XLR	ACHERON LF,IEC-309,PAINTED	09.193.001.06	\$ 8,330
Acheron LF	EURO	CE	STD	Y	3 XLR	ACHERON LF,RMS,IEC-309,PAINTED	09.193.001.05	\$ 8,890
Acheron LF	INDIA	BIS	STD	N	3 XLR	ACHERON LF,BIS,IEC-309,PAINTED	09.193.001.08	\$ 8,330
Acheron LF	INDIA	BIS	STD	Y	3 XLR	ACHERON LF,BIS,RMS,IEC-309,PAINTED	09.193.001.07	\$ 8,890
Acheron Studio	US	UL	STD	N	3 XLR	ACHERON STUDIO,US,LOOP	09.195.001.01	\$ 10,880
Acheron Studio	US	UL	STD	N	3 XLR	ACHERON STUDIO,YOKE,US,LOOP	09.195.001.04	\$ 11,740
Acheron Studio	US	UL	STD	Y	3 XLR	ACHERON STUDIO,RMS,US,LOOP	09.195.001.06	\$ 11,430
Acheron Studio	US	UL	STD	Y	3 XLR	ACHERON STUDIO,YOKE,RMS,US,LOOP	09.195.001.07	\$ 12,290
Acheron Studio	EURO	CE	STD	N	3 XLR	ACHERON STUDIO,CE,LOOP	09.195.001.02	\$ 10,880
Acheron Studio	EURO	CE	STD	N	3 XLR	ACHERON STUDIO,YOKE,CE,LOOP	09.195.001.05	\$ 11,740
Acheron Studio	EURO	CE	STD	Y	3 XLR	ACHERON STUDIO,RMS,CE,LOOP	09.195.001.03	\$ 11,430
Acheron Studio	EURO	CE	STD	Y	3 XLR	ACHERON STUDIO,YOKE,RMS,CE,LOOP	09.195.001.08	\$ 12,290
Acheron Studio	CHINA	CCC	STD	N	3 XLR	ACHERON STUDIO,CCC,LOOP,CHINA CORD	09.195.001.09	\$ 10,880
Acheron Studio	INDIA	BIS	STD	N	3 XLR	ACHERON STUDIO,YOKE,BIS,LOOP,INDIA	09.195.001.10	\$ 11,740

### Acheron Accessories

Description	Part Number	List Price
FMB-ACHERON FLOOR MOUNT L-BRACKET	40.188.026.01	\$ 280
MYA-ACHERON DESIGNER CRDL STYLE YOKE KIT	40.211.035.01	\$ 800
STB-ACHERON STACKING BRACKET KIT	40.188.025.01	\$ 350

# Professional Sound Reinforcement and Recording Products

Prices Effective March 31, 2021



## Amie

Near-field monitor for postproduction applications. Designed for accurate translation to Acheron cinema systems. Focused coverage, precise imaging, and flat frequency and phase response.



Model	Cord	Zone	Protect	RMS	Input	Product Name	Part Number	List Price
Amie	EURO	EAC	STD	N	3 XLR	AMIE,EAC,LOOP,EU CORDSET	09.249.001.04	\$ 3,590
Amie	US & EU	UL & CE	STD	N	3 XLR	AMIE,LOOP,PWRCNN	09.249.001.01	\$ 3,590
Amie	CHINA	CCC	STD	N	3 XLR	AMIE,CCC,LOOP,10A CHINA CORDSET	09.249.001.02	\$ 3,590
Amie	INDIA	BIS	STD	N	3 XLR	AMIE,INDIA,LOOP,INDIA CORDSET	09.249.001.03	\$ 3,590

### Amie Accessories

Description	Part Number	List Price
AMIE DESKTOP STAND KIT (MUB INCLUDED)	40.249.086.01	\$ 270
MUB-AMIE KIT	40.249.061.01	\$ 180



# Professional Sound Reinforcement and Recording Products

Prices Effective March 31, 2021



## Amie-Sub

Compact subwoofer optimized for pairing with the Amie Precision Studio Monitor, but it also works well with the larger Acheron Designer screen channel loudspeakers as well as with the HMS series of surround loudspeakers.



Model	Cord	Zone	Protect	RMS	Input	Product Name	Part Number	List Price
Amie-Sub	EURO	EAC	STD	N	3 XLR	AMIE-SUB,EAC,LOOP,EU CORDSET	09.251.001.04	\$ 4,720
Amie-Sub	US & EU	UL & CE	STD	N	3 XLR	AMIE-SUB,LOOP,PWRCNN,US	09.251.001.01	\$ 4,720
Amie-Sub	CHINA	CCC	STD	N	3 XLR	AMIE-SUB,CCC,LOOP,10A CHINA PLUG PWRCNN	09.251.001.03	\$ 4,720
Amie-Sub	INDIA	BIS	STD	N	3 XLR	AMIE-SUB,BIS,LOOP,10A INDIA PLUG PWRCNN	09.251.001.07	\$ 4,720
Amie-Sub 2.1	US	UL & CE	STD	N	3 XLR	AMIE-SUB,US,2.1(XLR) BASS MGMT,PWRCNN	09.251.002.01	\$ 5,220
Amie-Sub 2.1	EURO	CE	STD	N	3 XLR	AMIE-SUB,EU,2.1(XLR) BASS MGMT,PWRCNN	09.251.002.02	\$ 5,220
Amie-Sub 2.1	CHINA	CCC	STD	N	3 XLR	AMIE-SUB,CCC,2.1(XLR) BASS MGMT,10A PLUG	09.251.002.03	\$ 5,220
Amie-Sub 2.1	INDIA	BIS	STD	N	3 XLR	AMIE-SUB,BIS,2.1(XLR)BASS MGMT,INDIA CRD	09.251.002.07	\$ 5,220
Amie-Sub 7.1	US	UL & CE	STD	N	D-sub 25	AMIE-SUB,US,7.1(DB25)BASS MGMT,PWRCNN	09.251.007.01	\$ 5,370
Amie-Sub 7.1	EURO	CE	STD	N	D-sub 25	AMIE-SUB,EU,7.1(DB25)BASS MGMT,PWRCNN	09.251.007.02	\$ 5,370
Amie-Sub 7.1	CHINA	CCC	STD	N	D-sub 25	AMIE-SUB,CCC,7.1(DB25)BASS MGMT,10A CHN	09.251.007.03	\$ 5,370
Amie-Sub 7.1	INDIA	BIS	STD	N	D-sub 25	AMIE-SUB,BIS,7.1(DB25)BASS MGMT, IND CRD	09.251.007.07	\$ 5,370

### Amiesub Accessories

Description	Part Number	List Price
AMIE-SUB 2.1(XLR) BASS MNGMT INPUT PANEL	40.251.452.01	\$ 500
AMIE-SUB 7.1(DB25)BASS MNGMT INPUT KIT	40.251.451.01	\$ 650
AMIE-SUB WOOD GRILLE FRAME KIT	40.251.006.01	\$ 290
MUB-AMIE-SUB U-BRACKET KIT	40.251.050.01	\$ 310

# Professional Sound Reinforcement and Recording Products

Prices Effective March 31, 2021



## HMS



Surround loudspeaker for cinema applications. Four sizes offer progressive levels of output. Intelligent DC power. Used in systems with Acheron screen channel loudspeakers.

Model	Cord	Zone	Protect	RMS	Input	Product Name	Part Number	List Price
HMS-10	no	CCC	STD	N	Phoenix 5	HMS-10,TILT MOUNT,PHOENIX,PAD,CCC	09.198.001.07	\$ 2,940
HMS-10	no	CCC	STD	N	Phoenix 5	HMS-10,FXED MOUNT,PHOENIX,PAD,CCC	09.198.001.08	\$ 2,880
HMS-10	no	CCC	STD	N	Phoenix 5	HMS-10,W/O BRACKET,PHOENIX,PAD,CCC	09.198.001.09	\$ 2,780
HMS-10	no	UL & CE	STD	N	Phoenix 5	HMS-10,TILT MOUNT,PHOENIX,PAD	09.198.001.04	\$ 2,940
HMS-10	no	UL & CE	STD	N	Phoenix 5	HMS-10,W/O BRACKET,PHOENIX,PAD	09.198.001.06	\$ 2,780
HMS-10	no	UL & CE	STD	N	Phoenix 5	HMS-10,FXED MOUNT,PHOENIX,PAD	09.198.001.05	\$ 2,880
HMS-12	no	CCC	STD	N	Phoenix 5	HMS-12,TILT MOUNT,100,PHOENIX,CCC	09.227.001.12	\$ 4,450
HMS-12	no	CCC	STD	N	Phoenix 5	HMS-12,FXED MOUNT,100,PHOENIX,CCC	09.227.001.13	\$ 4,410
HMS-12	no	CCC	STD	N	Phoenix 5	HMS-12,W/O BRACKET,100,PHOENIX,CCC	09.227.001.11	\$ 4,310
HMS-12	no	UL & CE	STD	N	Phoenix 5	HMS-12,TILT MOUNT,100,PHOENIX	09.227.001.01	\$ 4,450
HMS-12	no	UL & CE	STD	N	Phoenix 5	HMS-12,W/O BRACKET,100,PHOENIX	09.227.001.09	\$ 4,310
HMS-12	no	UL & CE	STD	N	Phoenix 5	HMS-12,FXED MOUNT,100,PHOENIX	09.227.001.02	\$ 4,410
HMS-15	no	UL & CE	STD	N	Phoenix 5	HMS-15 W/O BRACKET, PHOENIX	09.242.051.01	\$ 6,160
HMS-15	no	UL & CE	STD	N	Phoenix 5	HMS-15 FXED MOUNT	09.242.051.03	\$ 6,250
HMS-15	no	UL & CE	STD	N	Phoenix 5	HMS-15 TILT MOUNT, PHOENIX	09.242.051.02	\$ 6,300
HMS-15AC	US	UL	STD	N	3 XLR	HMS-15AC,TILT MOUNT,PWRCON UL	09.242.001.04	\$ 6,820
HMS-15AC	US	UL	STD	N	3 XLR	HMS-15AC,W/O BRACKET,PWRCON UL	09.242.001.08	\$ 6,670
HMS-15AC	US	UL	STD	Y	3 XLR	HMS-15AC,RMS,PWRCON UL	09.242.001.06	\$ 7,230
HMS-15AC	US	UL	STD	Y	3 XLR	HMS-15AC,TILT MOUNT, RMS, PWRCON(DOM COR	09.242.001.01	\$ 7,370
HMS-15AC	US	UL	STD	Y	5 XLR	HMS-15AC,TILT MOUNT,RMS,PWRCON UL,5-PIN	09.242.001.10	\$ 7,370
HMS-15AC	US	UL	STD	Y	5 XLR	HMS-15AC,W/O BRACKET,RMS,PWRCON UL,5-PIN	09.242.001.12	\$ 7,230
HMS-15AC	EJRO	CE	STD	N	3 XLR	HMS-15AC,TILT MOUNT,PWRCON CE	09.242.001.05	\$ 6,820
HMS-15AC	EJRO	CE	STD	N	3 XLR	HMS-15AC,W/O BRACKET,PWRCON CE	09.242.001.09	\$ 6,670
HMS-15AC	EJRO	CE	STD	Y	3 XLR	HMS-15AC,W/O BRACKET,RMS,PWRCON CE	09.242.001.07	\$ 7,230
HMS-15AC	EJRO	CE	STD	Y	3 XLR	HMS-15AC,TILT MOUNT,RMS,PWRCON CE	09.242.001.03	\$ 7,370
HMS-15AC	EJRO	CE	STD	Y	5 XLR	HMS-15AC,W/O BRACKET,RMS,PWRCON CE,5-PIN	09.242.001.13	\$ 7,230
HMS-15AC	CHINA	CCC	STD	N	3 XLR	HMS-15AC,CCC,W/O BRACKET,CHINA CORDSET	09.242.001.14	\$ 7,230
HMS-15AC	CHINA	CCC	STD	N	3 XLR	HMS-15AC,CCC,TILT MOUNT,CHINA 16A PLUG	09.242.001.16	\$ 6,820
HMS-15AC	INDIA	BIS	STD	Y	5 XLR	HMS-15AC,W/O BRACKET,RMS,BIS,INDIA-PWRCON	09.242.001.15	\$ 7,230
HMS-5	no	CCC	STD	N	Phoenix 5	HMS-5 TILT MOUNT,PHOENIX,CCC	09.223.001.05	\$ 2,610
HMS-5	no	CCC	STD	N	Phoenix 5	HMS-5 W/O BRACKET,PHOENIX,CCC	09.223.001.04	\$ 2,470
HMS-5	no	CCC	STD	N	Phoenix 5	HMS-5 FXED MOUNT,PHOENIX,CCC	09.223.001.06	\$ 2,570
HMS-5	no	UL & CE	STD	N	Phoenix 5	HMS-5 W/O BRACKET, PHOENIX	09.223.001.01	\$ 2,470
HMS-5	no	UL & CE	STD	N	Phoenix 5	HMS-5 TILT MOUNT	09.223.001.02	\$ 2,610
HMS-5	no	UL & CE	STD	N	Phoenix 5	HMS-5 FXED MOUNT	09.223.001.03	\$ 2,570

### HMS Accessories

Description	Part Number	List Price
AMB-HMS TILT BRACKET REPLACEMENT KIT	40.198.041.01	\$ 130
HMS-15 CEILING MOUNT BRACKET KIT	40.242.025.01	\$ 240
FMB-HMS-10 FXED BRACKET REPLACEMENT KIT	40.198.040.01	\$ 80
HMS HALF YOKE KIT	40.227.031.01	\$ 500
HMS MJB KIT	40.227.032.01	\$ 440
HMS-15 RIGGING YOKE KIT	40.242.035.01	\$ 500
HMS WALL HINGE BRACKET KIT	40.227.030.01	\$ 320

# Professional Sound Reinforcement and Recording Products

Prices Effective March 31, 2021



## X-800C

Large subwoofer for low-frequency extension of far-field monitors. Cinema version complements Acheron screen channel loudspeakers and HMS surround loudspeakers.



Model	Cord	Zone	Protect	RMS	Input	Product Name	Part Number	List Price
X-800C	US	UL	STD	N	3 XLR	X-800C,SUB,L6-20,PAINTED	09.087.001.11	\$ 7,300
X-800C	US	UL	STD	Y	3 XLR	X-800C,SUB,RMS,L6-20,PAINTED	09.087.001.13	\$ 7,840
X-800C	EURO	BIS	STD	N	3 XLR	X-800C SUB,BIS,IEC309,PAINTED	09.087.001.15	\$ 7,300
X-800C	EURO	BIS	STD	Y	3 XLR	X-800C SUB,BIS,RMS,IEC309,PAINTED	09.087.001.16	\$ 7,840
X-800C	EURO	CE	STD	N	3 XLR	X-800C SUB IEC309 PAINTED	09.087.001.12	\$ 7,300
X-800C	EURO	CE	STD	Y	3 XLR	X-800C,SUB,RMS,IEC309,PAINTED	09.087.001.14	\$ 7,840

# Professional Sound Reinforcement and Recording Products

Prices Effective March 31, 2021



## X-400C

Mid-sized subwoofer for low-frequency extension of cinema systems where space is at a premium. Complements Acheron screen channel loudspeakers and HMS surround loudspeakers.



Model	Cord	Zone	Protect	RMS	Input	Product Name	Part Number	List Price
X-400C	US	UL	STD	N	3 XLR	X-400C,PWRCN,US,LOOP	09.213.001.01	\$ 5,590
X-400C	US	UL	STD	Y	3 XLR	X-400C,RMS,PWRCN,US,LOOP	09.213.001.03	\$ 6,140
X-400C	EURO	EAC	STD	N	3 XLR	X-400C,PWRCN,EAC,LOOP,CE CORD	09.213.001.09	\$ 5,590
X-400C	EURO	CE	STD	N	3 XLR	X-400C,PWRCN,CE,LOOP	09.213.001.02	\$ 5,590
X-400C	EURO	CE	STD	Y	3 XLR	X-400C,RMS,PWRCN,CE,LOOP	09.213.001.04	\$ 6,140
X-400C	CHINA	CCC	STD	N	3 XLR	X-400C,PWRCN,CHINA 16A,CCC,LOOP	09.213.001.08	\$ 5,590
X-400C	CHINA	CCC	STD	Y	3 XLR	X-400C,RMS,PWRCN,CHINA CCC,LOOP	09.213.001.05	\$ 6,140
X-400C	INDIA	BIS	STD	N	3 XLR	X-400C,PWRCN,BIS,LOOP,INDIA	09.213.001.07	\$ 5,590

### X-400C Accessories

Description	Part Number	List Price
X-400C GRILLE FRAME KIT	40.213.210.01	\$ 290

# Professional Sound Reinforcement and Recording Products

Prices Effective March 31, 2021



## CAL

The CAL Series of column array loudspeakers couples advanced digital processing with no-compromise engineering to realize the full potential of beam-steering and beam-splitting line source technology. CAL Series loudspeakers are compatible with analog, AES digital, and AVB networked signal sources. As the first loudspeaker product to be Avnu certified, CAL offers seamless interoperability with certified AVB devices from other vendors and offers numerous advantages of the open IEEE AVB standards.

## CAL

Steerable-beam loudspeaker for precise coverage control and speech intelligibility in large and reverberant spaces. Three sizes offer progressive levels of output. All CAL orders are considered a custom color and have a longer lead time of 7-8 weeks.

Model	Cord	Zone	Protect	RMS	Input	Product Name	Part Number	List Price
CAL 32	US	UL	W/P	Y	Phoenix 6	CAL 32 US	09.210.001.01	\$ 17,480
CAL 32	EURO	CE	W/P	Y	Phoenix 6	CAL 32 EURO	09.210.001.04	\$ 17,480
CAL 32	INDIA	BIS	W/P	Y	Phoenix 6	CAL 32 BIS INDIA	09.210.001.07	\$ 17,480
CAL 64	US	UL	W/P	Y	Phoenix 6	CAL 64 US	09.210.001.02	\$ 30,590
CAL 64	EURO	CE	W/P	Y	Phoenix 6	CAL 64 EURO	09.210.001.05	\$ 30,590
CAL 96	US	UL	W/P	Y	Phoenix 6	CAL 96 US	09.210.001.03	\$ 42,220
CAL 96	EURO	CE	W/P	Y	Phoenix 6	CAL 96 EURO	09.210.001.06	\$ 42,220

### CAL Accessories

Description	Part Number	List Price
CAL SINGLE POINT HANG RIGGING KIT	40.210.230.01	\$ 700

# Professional Sound Reinforcement and Recording Products

Prices Effective March 31, 2021



## CREATE

The CREATE Series supplies a full complement of hardware and software tools for creating, optimizing, and controlling complex, high-performance sound reinforcement systems.

### Galileo

Digital network platform for aligning and driving multi-zone sound systems. Full control of all audio parameters including routing, gain, EQ, filters, delay, and polarity. Available in three models with different configurations of analog and digital inputs and outputs. Integrates with SIM audio analyzer and RMS remote monitoring system via included Compass control software.



Model	Cord	Zone	Product Name	Part Number	List Price
GALAXY 408	US	UL	GALILEO GALAXY 408,115VAC LMS	09.237.001.01	\$ 8,190
GALAXY 408	EURO	EAC	GALILEO GALAXY 408,EAC 230VAC LMS	09.237.001.04	\$ 8,190
GALAXY 408	EURO	CE	GALILEO GALAXY 408,230VAC LMS	09.237.001.02	\$ 8,190
GALAXY 408	INDIA	BIS	GALILEO GALAXY 408,INDIA CORD LMS	09.237.001.03	\$ 8,190
GALAXY 816	US	UL	GALILEO GALAXY 816,115VAC LMS	09.230.001.01	\$ 11,730
GALAXY 816	EURO	EAC	GALILEO GALAXY 816, EAC 230VAC LMS	09.230.001.05	\$ 11,730
GALAXY 816	EURO	CE	GALILEO GALAXY 816,230VAC LMS	09.230.001.02	\$ 11,730
GALAXY 816	CHINA	CCC	GALILEO GALAXY 816,CHINA 10A CORD LMS	09.230.001.04	\$ 11,730
GALAXY 816	INDIA	BIS	GALILEO GALAXY 816,INDIA CORD LMS	09.230.001.03	\$ 11,730
GALAXY 816 AES	US	UL	GALILEO GALAXY 816 AES,115VAC LMS	09.230.002.01	\$ 13,110
GALAXY 816 AES	EURO	CE	GALILEO GALAXY 816 AES,230VAC LMS	09.230.002.02	\$ 13,110
GALAXY 816 AES	CHINA	CCC	GALILEO GALAXY 816 AES,CHINA 10ACORD LMS	09.230.002.04	\$ 13,110
GALAXY 816 AES	INDIA	BIS	GALILEO GALAXY 816 AES,INDIA CORD LMS	09.230.002.03	\$ 13,110

### Galileo Accessories

Description	Part Number	List Price
GALILEO GALAXY 408 REAR RACK BRKT 18-20"	40.237.045.01	\$ 170
GALILEO GALAXY 408 REAR RACK BRKT 20-22"	40.237.045.02	\$ 170
GALILEO GALAXY 408 REAR RACK BRKT 22-24"	40.237.045.03	\$ 170
GALILEO GALAXY 816 REAR RACK BRKT 18-20"	40.230.035.01	\$ 170
GALILEO GALAXY 816 REAR RACK BRKT 20-22"	40.230.035.02	\$ 170
GALILEO GALAXY 816 REAR RACK BRKT 22-24"	40.230.035.03	\$ 170

# Professional Sound Reinforcement and Recording Products

Prices Effective March 31, 2021



## RMS

Server unit for Remote Monitoring System. Reports status of up to 50 RMS-equipped loudspeakers or up to 12 RMS-equipped MPS-488HP power supplies via Compass control software.



Model	Cord	Zone	Product Name	Part Number	List Price
RMServer	US	UL	RMSEVER,US POWER CORD	09.222.001.01	\$ 3,260
RMServer	EURO	EAC	RMSEVER,EAC,EURO POWER CORD	09.222.001.04	\$ 3,260
RMServer	EURO	CE	RMSEVER,EURO POWER CORD	09.222.001.02	\$ 3,260
RMServer	INDIA	BIS	RMSEVER,INDIA POWER CORD	09.222.001.03	\$ 3,260

### RMS Accessories

Description	Part Number	List Price
RACK MOUNT TRAY RMSEVER KIT	40.222.015.01	\$ 250
RMSEVER WALL MOUNT BRACKET KIT	40.222.014.01	\$ 210

# Professional Sound Reinforcement and Recording Products

Prices Effective March 31, 2021



## POWER

### MPS

DC power supply and audio signal distribution module for IntelligentDC loudspeakers. Available in two output configurations. Pairs with all IntelligentDC models. Cables have a lead time of approximately 4 weeks.



Model	Cord	Zone	Product Name	Part Number	List Price
MPS-482HP	US	UL	MPS-482HP US,POWER SUPPLY	09.285.001.01	\$ 780
MPS-482HP	EURO	EAC	MPS-482HP EAC POWER SUPPLY	09.285.001.05	\$ 780
MPS-482HP	EURO	CE	MPS-482HP CE,POWER SUPPLY	09.285.001.02	\$ 780
MPS-482HP	CHINA	CCC	MPS-482HP CCC POWER SPLY,10A CHINA PLUG	09.285.001.03	\$ 780
MPS-482HP	INDIA	BIS	MPS-482HP BIS INDIA,POWER SUPPLY	09.285.001.04	\$ 780
MPS-488HP	US	UL	MPS-488HP PHOENIX,US,POWER SUPPLY	09.205.001.01	\$ 2,040
MPS-488HP	US	UL	MPS-488HP PHOENIX,RMS,US,POWER SUPPLY	09.205.001.05	\$ 2,590
MPS-488HP	EURO	CE	MPS-488HP PHOENIX,CE,POWER SUPPLY	09.205.001.02	\$ 2,040
MPS-488HP	EURO	CE	MPS-488HP PHOENIX,RMS,CE,POWER SUPPLY	09.205.001.06	\$ 2,590
MPS-488HP	CHINA	CCC	MPS-488HP PHOENIX,CCC,POWER SUPPLY	09.205.001.10	\$ 2,040
MPS-488HP	CHINA	CCC	MPS-488HP PHOENIX,RMS,CCC,POWER SUPPLY	09.205.001.09	\$ 2,590
MPS-488HP	INDIA	BIS	MPS-488HP PHOENIX,BIS INDIA CORD,PWR SPL	09.205.001.12	\$ 2,040
MPS-488HP	INDIA	BIS	MPS-488HP PHOENIX,RMS,BIS INDIA CORD,PWR	09.205.001.13	\$ 2,590
MPS-488HPp	EURO	EAC	MPS-488HP PHOENIX,EAC,CE,POWER SUPPLY	09.205.001.17	\$ 2,040
MPS-488HPp	EURO	EAC	MPS-488HP,EAC, PHOENIX,RMS,EURO CORD	09.205.001.18	\$ 2,590

### MPS Accessories

Description	Part Number	List Price
MM-4XP 100FT CABLE,EN3F TO EN3M,BLACK	28.163.009.25	\$ 150
MM-4XP 100FT CABLE,EN3F TO EN3M,PLENUM	28.163.009.35	\$ 350
MM-4XP 10FT CABLE,EN3F TO EN3M,BLACK	28.163.009.21	\$ 60
MM-4XP 10FT CABLE,EN3F TO EN3M,PLENUM	28.163.009.31	\$ 80
MM-4XP 150FT CABLE,EN3F TO EN3M,BLACK	28.163.009.26	\$ 250
MM-4XP 150FT CABLE,EN3F TO EN3M,PLENUM	28.163.009.36	\$ 470
MM-4XP 20FT CABLE,EN3F TO EN3M,BLACK	28.163.009.22	\$ 70
MM-4XP 20FT CABLE,EN3F TO EN3M,PLENUM	28.163.009.32	\$ 100
MM-4XP 30FT CABLE,EN3F TO EN3M,BLACK	28.163.009.23	\$ 80
MM-4XP 30FT CABLE,EN3F TO EN3M,PLENUM	28.163.009.33	\$ 120
MM-4XP 50FT CABLE,EN3F TO EN3M,BLACK	28.163.009.24	\$ 100
MM-4XP 50FT CABLE,EN3F TO EN4M,PLENUM	28.163.009.34	\$ 160
MM-4XP 100FT CABLE,EN3F TO PHNX,BLACK	28.163.009.45	\$ 150
MM-4XP 100FT CABLE,EN3F TO PHNX,PLENUM	28.163.009.55	\$ 350
MM-4XP 10FT CABLE,EN3F TO PHNX,PLENUM	28.163.009.51	\$ 80
MM-4XP 10FT CABLE,EN3F TO PHNX,BLACK	28.163.009.41	\$ 60
MM-4XP 150FT CABLE,EN3F TO PHNX,BLACK	28.163.009.46	\$ 250
MM-4XP 150FT CABLE,EN3F TO PHNX,PLENUM	28.163.009.56	\$ 470
MM-4XP 20FT CABLE,EN3F TO PHNX,PLENUM	28.163.009.52	\$ 100
MM-4XP 20FT CABLE,EN3F TO PHNX,BLACK	28.163.009.42	\$ 70
MM-4XP 30FT CABLE,EN3F TO PHNX,PLENUM	28.163.009.53	\$ 120
MM-4XP 30FT CABLE,EN3F TO PHNX,BLACK	28.163.009.43	\$ 80
MM-4XP 50FT CABLE,EN3F TO PHNX,BLACK	28.163.009.44	\$ 100
MM-4XP 50FT CABLE,EN3F TO PHNX,PLENUM	28.163.009.54	\$ 160
UP-4 6.0FT CABLE,PHNX TO PHNX,BLACK	28.163.009.60	\$ 50
MPS-482HP 2RU TRAY KIT	40.285.013.01	\$ 140
MPS-482HP WALL BRACKET KIT	40.285.015.01	\$ 70



# Professional Sound Reinforcement and Recording Products

Prices Effective March 31, 2021



**MDM** Distribution module for consolidation and routing of AC power, balanced audio, and RMS connectivity to Meyer Sound loudspeaker systems. Available in two sizes for monitors and small systems (MDM-832) and for larger systems (MDM-5000).



Model	Cord	Zone	Product Name	Part Number	List Price
MDM-5000	US	UL	MDM-5000 POWER/SIGNAL DISTRO MODULE US	09.257.001.01	\$ 4,280
MDM-5000	EURO	CE	MDM-5000 POWER/SIGNAL DISTRO MODULE EU	09.257.001.02	\$ 4,280
MDM-832	US	UL	MDM-832 DIST BOX,3 PIN,UL	09.245.001.02	\$ 1,540
MDM-832	US	UL	MDM-832 DIST BOX,5 PIN,UL	09.245.001.01	\$ 1,540
MDM-832	EURO	CE	MDM-832 DIST BOX,3 PIN,CE	09.245.001.04	\$ 1,540
MDM-832	EURO	CE	MDM-832 DIST BOX,5 PIN,CE	09.245.001.03	\$ 1,540

MDM Accessories			Part Number	List Price
Description				
LK-37 M/F 30M SIGNAL CABLE			28.257.012.02	\$ 1,040
LK-37 M/F 15M SIGNAL CABLE			28.257.012.01	\$ 890
LK-37/XLR-3PIN FANOUT 1-3M OFFSET			28.257.017.01	\$ 770
LK-37/XLR-3PIN FANOUT 6M FIXED			28.257.019.01	\$ 810
LK-37/XLR-5PIN FANOUT 1-3M OFFSET			28.257.018.01	\$ 810
LK-37/XLR-5PIN FANOUT 6M FIXED			28.257.020.01	\$ 870
POWERCON32 "Y" ADAPTER PWR CABLE EU 1M			28.257.021.01	\$ 220
POWERCON32 "Y" ADAPTER PWR CABLE US 3FT			28.257.021.02	\$ 400
SOCAPEX M/F 30M AC POWER CABLE EU			28.257.011.02	\$ 1,080
SOCAPEX M/F 15M AC POWER CABLE EU			28.257.011.01	\$ 690
SOCAPEX M/F 100FT AC POWER CABLE US			28.257.011.04	\$ 1,280
SOCAPEX M/F 50 FT AC POWER CABLE US			28.257.011.03	\$ 850
SOCAPEX/POWERCON20 FANOUT 1-3M OFFSET EU			28.257.013.01	\$ 460
SOCAPEX/POWERCON20 FANOUT 20FT FIXED US			28.257.015.02	\$ 590
SOCAPEX/PWRCON20 FANOUT 3-10FT OFFSET US			28.257.013.02	\$ 420
SOCAPEX/POWERCON20 FANOUT 6M FIXED EU			28.257.015.01	\$ 620
SOCAPEX/POWERCON32 FANOUT 1-3M OFFSET EU			28.257.014.01	\$ 590
SOCAPEX/POWERCON32 FANOUT 20FT FIXED US			28.257.016.02	\$ 840
SOCAPEX/PWRCON32 FANOUT 3-10FT OFFSET US			28.257.014.02	\$ 650
SOCAPEX/POWERCON32 FANOUT 6M FIXED EU			28.257.016.01	\$ 750

## ACOUSTIC

Employing the latest advances in both passive and active acoustical technologies, the ACOUSTIC Series affords unique solutions for solving problems with existing room acoustics as well as for creating entirely new acoustic environments beyond those afforded by the physical room constraints. Meyer Sound Libra passive acoustic systems afford proven solutions in applications where visual aesthetics are paramount, while Constellation active acoustic systems are renowned for their flexibility and natural sound quality.

### **Constellation Acoustic System**

*Constellation acoustic system is a complete package of equipment and services, provided exclusively by Meyer Sound and powered by VRAS technology. Constellation gives venues the flexibility to alter their acoustics instantly and accommodate a variety of events and source material. Components include processors, loudspeakers, microphones, and a custom control panel. All Constellation systems require an approved Constellation system design, tuning, and venue certification. Services involved include system design and programming, project management and site visits for commissioning. **Please contact your Meyer Sound sales manager for more information and pricing on Constellation.***

### **Libra Acoustic Image System**

*A sophisticated acoustical panel, Libra™ combines effective sound absorption with impeccable aesthetic appeal. Libra provides architects, designers, and acoustical consultants with a refined method to address acoustical issues while improving or preserving the aesthetics of the space. Renowned San Francisco Bay Area photographer Deborah O'Grady serves as the artistic director for Libra. She curates all high resolution imagery used for Libra and is available for consultation on image selection, artwork selection from her portfolio, and overall visual enhancement of the space. **Please contact your Meyer Sound sales manager for more information and pricing on Libra.***

# Professional Sound Reinforcement and Recording Products

Prices Effective March 31, 2021



## Special Order Items

Please contact your Meyer Sound representative for pricing and lead times if you are interested in special ordering products that are not found on this price list.

### All-in-One Cable Options

Meyer Sound offers users two convenient all-in-one cables for self-powered products. Both types provide power, audio, and data connections together in one flexible, UL compliant cable. The "Multi Cable" is intended for use for any application where the bundled cables do not need to be made to "fan out". The "Breakout Cable" is intended for use when it is necessary to separate the bundled cables into three individual cables as a "fan out." **Cable sold in 500 foot rolls, minimum.**

Multi Cable UL AWN style 2464	(3) 14awg AC Conductors, (2) 24awg Audio Pairs, .575" O.D. nom. 500 feet	\$ 2,610
Breakout Cable UL AWN style 2464	(3) 14awg PVC Insulated AC Conductors, (2) 24awg Audio Pairs, .760" O.D. nom. 500 feet	\$ 3,800

## IntelligentDC Options

For AV installations demanding the best audio quality combined with ease and economy of installation, Meyer Sound offers an innovative solution: self-powered systems with IntelligentDC technology. This technology opens up a broad range of options for system designers, consultants, integrators, and contractors. As with conventional constant-voltage solutions, these systems can often be installed without conduit, but the loudspeakers operate on DC power from a remote rack-mount power supply, so there is no need for AC mains service—requiring Class 1 electrical conduit—at each loudspeaker location. The amplifier and signal-processing circuits store DC power for peak demands, allowing the flexibility of lengthy cable runs (without conduits) while preserving the advantages of self-powered systems. Power and balanced audio can be carried on a single multi-conductor cable terminated by a 5-pin connector. For more information on product specifications and cabling requirements, please see [www.meyersound.com/products](http://www.meyersound.com/products) or individual product datasheets.

### IntelligentDC Installation Loudspeaker Connector and Cable Options

Meyer Sound offers a variety of connector and cable options for the MM-4XP, MM-10XP, ULTRA-X20XP, ULTRA-X22XP, ULTRA-X23XP, USW-112XP, UP-4slim, UP-4XP, UPJ-1XP, UPJunior-XP, UMS-1XP, and UPM-1XP/2XP to provide users with elegant solutions to allow for both road use and long-term indoor and outdoor installations.

#### Cable Connectors and Adapters

484.053	Phoenix 5-pin female cable mount connector	Connects to the MPS-488P Channel Output connector or ULTRA-X20XP, ULTRA-X22XP, ULTRA-X23XP, USW-112XP, UP-4slim, UP-4XP, MM-10XP, UPJ-1XP, UPJunior-XP, UPM-1XP and UMS-1XP loudspeaker fitted with Phoenix 5-pin male connector	\$ 10
468.081	ECO-M multi-pin female cable mount connector	Connects to the UPJ-1XP, UPJunior-XP, UPM-1XP, and UMS-1XP loudspeakers fitted with ECO-M male panel mount connector	\$ 50
468.069	EN3 5-pin female cable mount connector	Connects to the MM-4XP, UP-4XP, MM-10XP, UPJ-1XP, UPJunior-XP, UPM-1XP and UMS-1XP loudspeaker connectors (an EN3 5-pin male panel mount connector)	\$ 30
468.071	EN3 5-pin male cable mount connector	Connects to the MPS-488E Channel Output connector (an EN3 5-pin female panel mount connector)	\$ 30
468.072	EN3 5-pin female inline cable adapter	Connects to an EN3 5-pin male cable mount connector to make extension cables	\$ 30
486.073	EN3 5-pin male inline cable adapter	Connects to an EN3 5-pin female cable mount connector to make extension cables	\$ 30
28.163.033.01	Cable coupler EN3 5-pin female-to-male	Joins two cables: an EN3 5-pin male cable mount connector with an EN3 5-pin female cable mount connector	\$ 70

#### Cables

524.014	Bulk, no connectors	Composite Cable regular black jacket —(1) Balanced Audio Pair 22 AWG and (2) DC conductors 18 AWG. 500-foot spool	\$ 810
524.015	Bulk, no connectors	Composite Cable plenum rated white jacket —(1) Balanced Audio Pair 22 AWG and (2) DC conductors 18 AWG. 500-foot spool	\$ 1,740

## Finish Options

### Custom Paint

Cabinets, grilles, and foam of all LINE ARRAY, CAL, and ULTRA models can be painted to RAL specifications. RAL number must be provided at time of order. **No charge for quantities of 10 or more units of a single color.** For smaller quantities please ask for a quotation. Please allow 4–6 weeks for delivery.

### Cabinets Without Handles

All ULTRA Series and some LF, and CINE-STUDIO cabinets can be ordered without handles. Please specify this option when placing your order. Allow 4 to 6 weeks for delivery.

### Weather Protection Option

**Please specify this option when placing your order. Allow additional time for delivery.**

*Most Meyer Sound loudspeaker cabinets for sound reinforcement are constructed of marine-grade birch plywood. To protect the cabinets in outdoor installations, the company employs a variety of manufacturing techniques and processes. Weather-protected cabinets receive a special finish that consists of a sealant primer and a finishing top coat. This coating is applied to all interior and exterior cabinet surfaces (one coat on the interior, and two on the exterior). It penetrates and stabilizes the wood, and enables the cabinet to withstand a wide range of temperature and humidity conditions. The exterior top coat is a two-part modified acrylic urethane similar to that used in military applications. Cone drivers are coated with a special water-resistant material, and gold-plated connectors resist corrosion while assuring reliable connections. Grille frames are coated to resist moisture. All components that mount to the cabinet exterior use custom gaskets, and all are mounted with stainless steel fasteners. In some cases a rain hood protects the electronics package from rain on all self-powered products. The weather protection option is not available for the UMS-1P, MJF-212A, MJF-210, MJF-208, MM-4XP, MM-4XPD, or MM-4XPV loudspeakers. An advanced UltraWeather Protection option is available only for LEOPARD, LINA, and 900-LFC; please contact Meyer Sound for more information.*